

**REFERENCES AND  
SELECTED BIBLIOGRAPHY**



## REFERENCES AND SELECTED BIBLIOGRAPHY

- Adams, J. 1885: On the botany of Te Aroha Mountain. *Transactions and Proceedings of the New Zealand Institute* 17: 275-281
- Allaby, M. (ed) 1994: The Concise Oxford Dictionary of Ecology. Oxford University Press, Oxford, England. 415 pp.
- Allan, H. H. 1982: Flora of New Zealand. Vol 1. Government Printer, Wellington.
- Allen, D.J. 1983: Notes on the Kaimai-Mamaku Forest Park. New Zealand Forest Service, Tauranga (unpublished). 20 p.
- Allen R.B. and McLennan M.J. 1983, Indigenous forest survey manual: two inventory methods. *Forest Research Institute Bulletin No. 48*. 73 pp.
- Allen R.B. 1992: An inventory method for describing New Zealand vegetation. *Forest Research Institute Bulletin No. 181*. 25 pp.
- Anon 1975: Biological reserves and forest sanctuaries. *What's New in Forest Research* 21. Forest Research Institute, Rotorua. 4 p.
- Anon 1982: Species list from Kopurererua Stream. New Zealand Wildlife Service National Habitat Register, May 1982. Bay of Plenty Habitat sheets, Folder 2, records room, Rotorua Conservancy.
- Anon 1983a: Reserve proposals. Northern Kaimai-Mamaku State Forest Park. Background notes for SFSRAC Meeting and Inspection, 1983. Tauranga. 12 pp.
- Anon 1983b: The inadequacy of the ecological reserves proposed for the Kaimai-Mamaku State Forest Park. Joint campaign on Native Forests, Nelson. 14 p. plus 3 references.
- Anon 1983c: Overwhelming support to save the Kaimai-Mamaku. *Bush Telegraph* 12: 1-2. Wellington.
- Anon 1989: Conservation values of natural areas on Tasman Forestry freehold and leasehold land. Unpublished report for Tasman Forestry Ltd, Department of Conservation and Royal Forest & Bird Protection Society. 60 p. plus appendices and maps.
- Anon 1994: New Zealand's Biodiversity: An Overview. Department of Conservation, Wellington. 24 pp.
- Anon 1997: The State of New Zealand's Environment. Ministry for the Environment. GP Publications, Wellington.
- Anon 1998: Candidate sites of ecological significance. Working report No.2. Possible sites for inclusion. Report Prepared for Western Bay of Plenty District Council. 62 pp. plus maps.
- Anon 2000: New Zealand's Biodiversity Strategy. Department of Conservation and Ministry for the Environment.



- Armstrong, D.P. and Craig, J.L. 1991: Proposal to transfer North Island robins from Mamaku Plateau to Tiritiri Island. Centre for Conservation Biology, School of Biological Sciences, University of Auckland, Auckland (unpublished). 6 p.
- Armstrong, D.P.; Lovegrove, T.G.; Allen, D.G.; Craig, J.L. 1994: Composition of founder groups for bird translocations: does familiarity matter? Pp. 105-111 in Serena, M. (Ed.): Reintroduction biology of Australian and New Zealand fauna. Surrey Beatty & Sons, Chipping Norton.
- Armstrong, D.P. 1995: Effects of familiarity on the outcome of translocations, II. A test using New Zealand robins. *Biological Conservation* 71: 281-288
- Armstrong, D.P. and Ewen, J.G. 2001: Assessing the value of followup translocations: a case study using New Zealand robins. *Biological Conservation* 101: 239-247.
- Astbury C.; Morgan T.; Huser B.; Cochran P. and Beanland R.A. 1999: Waikato integrated environment monitoring project. Stage 4 - Data Planning, Gathering and Collation. Case Study Report. SMF project.
- Aston, B.C. 1924a: Bush-sickness investigation: five years' work at the Mamaku Demonstration Farm. *New Zealand Journal of Agriculture* 28: 215-238.
- Aston, B.C. 1924b: A reconnaissance survey of pumice soils. *New Zealand Journal of Agriculture* 29: 333-338.
- Aston, B.C. 1925: Iron-hunger in ruminant stock: the season's work at Mamaku Demonstration Farm. *New Zealand Journal of Agriculture* 30: 175-186.
- Aston, B.C. 1930: Bush-sickness investigation: notes on some recent results. *New Zealand Journal of Agriculture* 41: 215-238.
- Atkinson I.A.E. 1985: Derivation of vegetation mapping units for an ecological survey of Tongariro National Park, North Island, New Zealand. *New Zealand Journal of Botany*, 23: 361-378.
- Atkinson I. 1996: Biodiversity: what is it, and why is it important? pp 7-17 in McFadgen B. and Simpson P. (compilers). Biodiversity. Papers from a seminar series on biodiversity. Department of Conservation, Wellington. 181 pp.
- Atkinson I.A.E., Towns D.R. 2001: Advances in New Zealand mammalogy 1990-2000: Pacific rat. *Journal of The Royal Society of New Zealand* 31: 99-109.
- Barry, M.A. 1984: Kaimai - Mamaku Forest Park, a clear cut choice. *Soil and Water* 20(30): 24-27.
- Bartlett, J.K. 1978: Rare and unusual plants north of the kauri line. *Wellington Botanical Society Bulletin* 40: 37-44
- Bartlett, J.L. 1984: Notes on the distribution and associations of some uncommon plants of northern N.Z. *New Zealand Journal of Botany* 22:307-313



- Bay of Plenty Conservancy, Department of Conservation 1993a: Land Inventory System. Waihi Ecological District (part).
- Bay of Plenty Conservancy, Department of Conservation 1993b: Land Inventory System. Hinuera Ecological District (part).
- Bay of Plenty Conservancy, Department of Conservation 1993c: Land inventory systems, Tauranga Ecological District.
- Bay of Plenty Regional Pest Management Strategy (2003-2008). Environment Bay of Plenty, Whakatane.
- Bay of Plenty Regional Policy Statement: Environment Bay of Plenty, Whakatane.
- Beadel S.M. 1985: A vegetation survey and an assessment of the biological conservation values of the Otawa-Otanewainuku area. Western Bay of Plenty. Wildland Consultants Ltd Contract Report, prepared for Department of Lands and Survey. 61 pp.
- Beadel S.M. 1988: Assessment of the botanical conservation values of four areas in the Bay of Plenty District, Department of Conservation. 1. Prospecting Licence 31 2247, Tui Mines, Te Aroha; 2. Prospecting Licence 31 694, Te Aroha; 3. Prospecting Licence 31 2010, Te Aroha; 4. Tuahu Lakelets, Kaimai Range. Wildland Consultants Contract Report prepared for Department of Conservation, Rotorua. 24 pp.
- Beadel S.M. 1990: Problem plant strategy: Bay of Plenty Conservancy. Department of Conservation, Rotorua. *Wildland Consultants Ltd Contract Report*. 21 pp plus appendices.
- Beadel S. M. 1991a: Botanical conservation values. Metal Haulage Ltd: Mining application. Katikati. Unpublished report. Wildland Consultants Ltd. Prepared for Department of Conservation, Rotorua. 11 pp plus appendices.
- Beadel S.M. 1992a: Threatened and local plants of Bay of Plenty Conservancy. *Technical Report No. 13*. Department of Conservation, Bay of Plenty Conservancy.
- Beadel S.M. 1992b: Indigenous forest monitoring using photopoints. Wildland Consultants Contract Report prepared for Science and Research Division, Department of Conservation, Wellington. 21 pp.
- Beadel S.M. 1992c: Tauranga Harbour wetland vegetation. Bay of Plenty Regional Council, Whakatane. 82 pp plus maps.
- Beadel S.M. 1992d: Threatened and local plants of Bay of Plenty Conservancy. *Technical Report Series No. 13*. Department of Conservation, Rotorua. 77 pp plus maps.
- Beadel S.M. 1992e: Vegetation and flora of Te Puna Quarry, Tauranga. Unpublished report. Wildland Consultants Ltd. 10 pp.
- Beadel S.M. 1993a: Threatened and local plant inspection and management programme 1993/94. Tauranga Field Centre. Unpublished report. Wildland Consultants Ltd. Report prepared for Department of Conservation. 28 pp.



- Beadel S.M. 1993b: Threatened and local plant survey and monitoring 1993. Rotorua Lakes Field Centre. Department of Conservation, Rotorua. Unpublished report. Wildland Consultants Ltd. 12 pp.
- Beadel S.M. 1994a: The vegetation and fauna of McLaren Falls Park. Report prepared for Boffa Miskell, Auckland. 31 pp plus maps.
- Beadel S.M. 1994b. Significant indigenous vegetation of the Bay of Plenty coastal zone. Bay of Plenty Regional Council, Rotorua: 412 pp.
- Beadel S.M. 1995a: Potential environmental weeds of the Bay of Plenty Region. Wildland Consultants report. Prepared for Environment Bay of Plenty. 133 pp.
- Beadel S.M. 1995b: Vegetation and flora of lands administered by Bay of Plenty Conservancy. Department of Conservation, Rotorua. *Wildland Consultants Ltd. Contract Report No. 130.* 556 pp.
- Beadel S.M. 1995c: Vegetation and fauna habitats of Bay of Plenty Region (preliminary scoping study). Environment BOP, Whakatane. *Wildland Consultants Ltd. Contract Report No. 131.* 33 pp.
- Beadel S.M. 1995d: Vegetation and flora of 177 Hot Springs Road, Katikati. M. & N. Storey, Taupo. *Wildland Consultants Ltd Contract Report No. 133.* 16 pp.
- Beadel S.M. 1995e: Vegetation and flora of Mount Drury, Moturiki, Ocean Beach, and Pilot Bay, Mount Maunganui. *Wildland Consultants Ltd Contract Report.* Prepared for Tauranga District Council, Tauranga. 31 pp.
- Beadel S.M. 1995f: The vegetation and flora of Te Irirangi Pa, Bay of Plenty. *Wildland Consultants Ltd.* 7 pp.
- Beadel S.M. 2002: Preliminary checklist of vascular plants in Tauranga Ecological District. *Unpublished report, No. 725.* Wildland Consultants Ltd
- Beadel S.M. 2006: Regionally uncommon plant species in the Bay of Plenty. *Wildland Consultants Contract Report No. 1175a.*
- Beadel S.M. 2006: Otago Ecological District. Survey report for the Protected Natural Areas Programme. Department of Conservation, Rotorua.
- Beadel S.M. 2008: Regionally uncommon plant species in the Bay of Plenty. *Wildland Consultants Contract Report No. 1175b.*
- Beadel S.M.; Halliday S.; Surman M.; Turbott C. 1997: Definition of mean high water springs - an evaluation of different methodologies. *Wildland Consultants Ltd Contract Report No. 173.* 23 pp.
- Beadel S.M.; Mackinnon S.M. and Shaw W.B. 1996b: Geothermal vegetation of the Bay of Plenty region. *Wildland Consultants Ltd Contract Report No. 155.* 234 pp.
- Beadel S.M. and Shaw W.B. 1999: Ecological assessment of the proposed Omokoroa structure plan. *Wildland Consultants Ltd Contract Report No. 255.* 19 pp.



- Beadel S.M. and Shaw W.B. 1999b: Ecological aspects of the Katikati urban growth study. *Wildland Consultants Ltd Contract Report No. 254*. 21 pp.
- Beadel S.M. and Shaw W.B. 1999c: Katikati Urban Growth Study. *Wildland Consultants Ltd Contract Report No. 244*.
- Beadel S.M. and Shaw W.B. 1999d: Omokoroa structure plan. *Wildland Consultants Ltd Contract Report No. 243*.
- Beadel S.M. and Shaw W.B. 2000: Category one natural heritage sites in the Tauranga Ecological District and Te Aroha and Waihi Ecological Districts in the Bay of Plenty region. *Wildland Consultants Ltd Contract Report No. 353*. 17 pp plus maps.
- Beadel S.M.; Shaw W.B. and Nicholls J.L. 1998: Rotorua Lakes Ecological District Natural Area Survey. *Wildland Consultants Ltd Contract Report No. 175*. Prepared for Rotorua District Council and Environment Bay of Plenty. 551 pp.
- Beadel S.M. and Wright, A.E. 1988: Checklist of the vascular plants of Wairakau Scenic Reserve, Kaimai Range. *Rotorua Botanical Society Newsletter 14* : 15-18.
- Beanland R. and Huser B. 1999: Integrated monitoring. A manual for practitioners. Environment Waikato. 58 pp.
- Beever J. 1991: A dictionary of Maori plant names. Published by the Auckland Botanical Society. 75 pp.
- Bell R.T., Bell J.R. 1982: Rhysodini of the World Part III. Revision of *Omoglymmius* Ganglbauer (Coleoptera: Carabidae or Rhysodidae) and substitutions for preoccupied generic names. *Quaestiones Entomologicae 18*: 127-259.
- Bell B. D. 1986: The conservation status of New Zealand wildlife. *Occasional Publication No. 12*: New Zealand Wildlife Service, Department of Internal Affairs, Wellington. 103 pp.
- Bellamy A.C. (ed) 1982: Tauranga 1882 - 1982. Tauranga City Council. 296 pp.
- Bellingham P.J., Courtney S.P. and Smale M.C. 1985a: Vascular plants of upper Kuhatahi Valley, (Proposed ecological area) Mamaku State Forest 400-500m asl. Forest Research Institute, Rotorua. File 31/9. 5 pp.
- Bellingham P.J.; Bellingham M.R.; Cameron E.K.; Courtney S.P.; Druce A.P.; Haydock K.; Herbert J.W.; Ogle C.; Smale M.C. 1985b: Vascular flora of the Mamaku Plateau. Forest Research Institute, Rotorua (unpublished). Copy held on file 31/6 at Landcare Research, Hamilton; reference 13/17/2. 7 p.
- Bergin D.O.; Pardy G.F.; Beveridge A.E. 1988: Planting to restore or extend native forest remnants. *New Zealand Tree Grower 9*: 44-47. Includes photos.
- Bergin D.O. 1991: Rehabilitation of the Gammons/Mangorewa-Kaharoa wildlife corridor, Mamaku Plateau. Contract Report FWE 91/60, prepared for Bay of Plenty Conservancy, Department of Conservation. Forest Research Institute, Rotorua. 18 p. plus photos and maps.



- Bergin D.O.; Kimberley, M.O. 1992: Provenance variation in *Podocarpus totara*. *New Zealand Journal of Ecology* 16: 5-13.
- Beveridge A.E. 1973: Regeneration of podocarps in a central North Island forest. *New Zealand Journal of Forestry* 18: 23-35.
- Beveridge A.E. 1983: Regeneration of podocarps and maintenance of productivity. In Thompson, K; Holder, A.P.H.; Edmonds, A.S (Eds): Symposium on 'Lowland Forests in New Zealand'. University of Waikato, Hamilton, New Zealand
- Beveridge A.E.; Bergin D.O. 2000: The role of planting native trees in the management of disturbed forest. Pp. 51-60 in Silvester, W.; McGowan, R. (Eds): Native trees for the future. Proceedings of a forum held at the University of Waikato, 8-10 October 1999.
- Beveridge A.E; Christensen B.R.; Smale M.C.; Bergin D.O. 2009: Ecology, management and history of the forests of the Mamaku Plateau, New Zealand. Department of Conservation, Wellington. 152 p.
- Blaschke P.M. 1985: Land use capability classification and land resources of the Bay of Plenty - Volcanic Plateau region. *Water & Soil Miscellaneous Publication No. 8*. National Water and Soil Conservation Authority. Ministry of Works and Development, Wellington.
- Blaschke P.M.; Hunter G.G.; Eyles G.O.; and Van Berkel P.R. 1981: Analysis of New Zealand's vegetation cover using land resource inventory data. *New Zealand Journal of Ecology* 4: 1-19.
- Booth A.M.; Minot E.O.; Fordham R.A.; Innes J.G. 1996: Kiore (*Rattus exulans*) predation on the eggs of the little shearwater (*Puffinus assimilis haurakiensis*). *Notornis* 43: 147-153.
- Boyd M.J. 1993: Conservation and management of New Zealand's indigenous forests: a selected bibliography, 1848-1990. M.J. Boyd, Auckland. 144 p.
- Briggs R.M.; Houghton B.F.; McWilliams M.; Wilson C.J.N. 2005:  $^{40}\text{Ar}/^{39}\text{Ar}$  ages of silicic volcanic rocks in the Tauranga-Kaimai area, New Zealand: dating the transition between volcanism in the Coromandel Arc and the Taupo Volcanic Zone. *New Zealand Journal of Geology & Geophysics* 2005(48): 459-469
- Brockie R.E. 1992: A Living New Zealand Forest. Auckland, Bateman, 172 pp.
- Broekhuizen P.; Nicholls J.L.; Smale M.C. 1985: A provisional list of vascular plant species: Rapurapu track, Kauri spur, and Rapurapu Gorge, Kaimai-Mamaku SF Park. Contributed by the Rotorua Botanical Society. Unpublished report held on file at Bay of Plenty Conservancy Office, Department of Conservation, Rotorua.
- Brown K.P. 1996: Predation at nests of two New Zealand endemic passerines, implications for bird community restoration. *Pacific Conservation Biology* 3: 91-98.
- Brown K.P., Moller H., Innes J., Jansen P. 1998: Identifying predators at nests of small birds in a New Zealand forest. *Ibis* 140: 274-279.



- Bull P.C.; Gaze P.D.; Robertson C.J.R. 1985: *'The Atlas of Bird Distribution in New Zealand'*. The Ornithological Society of New Zealand, Wellington. 296 pp.
- Bunge J. and Fitzpatrick, M. 1993: Estimating the number of species; a review. *Journal of the American Statistics Association* 88: 364-373.
- Burns B.; Smale M. 2002: Lowland forests. pp 73-81. *In* Clarkson B.D.; Merret, M.; Downs, T. (comp.) *Botany of the Waikato*. Waikato Botanical Society.
- Butler D.; McLennan J. 1991: Kiwi recovery plan. *Threatened Species Recovery Plan Series No. 2*. Department of Conservation, Wellington. 35 pp.
- Buxton R. 1991: *New Zealand Wetlands: A Management Guide*. Department of Conservation and the Environment Council, Wellington. 102 pp.
- Calder B., Innes J., and Taylor G. (n.d.?). *Kiwi Survey*. Royal Forest & Bird Protection Society. Copy held in 'Kiwi Call Scheme - old records' box with K. Owen, Bay of Plenty Conservancy, Rotorua.
- Campbell D.J., Atkinson I.A.E. 2002: Depression of tree recruitment by the Pacific rat (*Rattus exulans* Peale) on New Zealand's northern offshore islands. *Biological Conservation* 107: 19-35.
- Campbell H.J. 1995: Compliance report. Resource consents to take water from streams under abstraction pressure in the Bay of Plenty region. *Environmental Report No. 95/18*. Environment Bay of Plenty, Whakatane. 62 pp.
- Cameron R.J. 1954: Mosaic or cyclical regeneration in North Island podocarp forests. *New Zealand Journal of Forestry* 7: 55-64
- Cameron R.J. 1959: Report on cutover survey, Mamaku S.F. No. 3. Forest Research Institute, Rotorua (unpublished). 2 pp.
- Carrier S.J. 1980: Report on the hydrogeology of the Mamaku Plateau. Hauraki Catchment Board and Regional Water Board (unpublished). 4 pp. plus map.
- Cashmore P. n.d.a: Assessment of Botanical Conservation Values of Hollyman Property, Waiomou. *Unpublished Report DOCDM 27215*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. n.d.b: Assessment of Botanical Conservation Values of Proposed Sutton Land Exchange, KMFP. *Unpublished report DOCDM-184847*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. n.d.c: Ecological assessment of proposed land exchange at Imlig property–Hidden Gorge Scenic Reserve at Omanawa Rd, Omanawa. *DOCDM–269316*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. n.d.d: Assessment of Conservation Values of Proposed Penoak Farms Land Exchange, Graveson Rd. *DOCDM 335850*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.





- Cashmore P. n.d.e: Assessment of Botanical Conservation Values of Proposed O'Neill Land Exchange, Demeter Rd, Ottawa. *DOC DM 346944*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. n.d.f: Assessment of Conservation Values – Seaford Park proposed gifting adjoining Athenree WRR, Athenree. *DOC DM 426136*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. n.d.g: Assessment of Conservation Values of Proposed Sharland Land Exchange, Arahiwi. *DOC DM 476367*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. n.d.h: Assessment of Conservation Values of Alexander Property. *OLDDM 172410*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. n.d.i: Assessment of Conservation Values of Proposed Land Exchange at Selwyn Scenic Reserve. *OLDDM 176081*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. n.d.j: Assessment of Conservation Values of Fairgrays Property, Uplands Rd. *OLDDM 177131*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. n.d.k: Ecological assessment of forest adjoining Hidden Gorge Scenic Reserve at 526 Belk Rd, Omanawa. *OLDDM 184681*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. n.d.l Assessment of Botanical Conservation Values of Proposed Nettlingham Land Exchange. *OLDDM 185463*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. 2002: *Thismia rodwayi* discovery, Waitawheta Valley, Kaimai Mamaku FP. *DOC Internal Correspondence OLDDM-177767*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. 2003: *Picris burbidgei* and *Pimelea tomentosa* at Orokawa Scenic Reserve. *DOC Internal Correspondence OLDDM-179645*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. 2005a: Northern Mamaku lagoons. *The Rotorua Botanical Society Newsletter No. 50*: 16-24.
- Cashmore P. 2005b: *Picris burbidgei* and *Pimelea tomentosa* survey/monitoring at Orokawa and Homunga Bay Scenic Reserves 2004. *DOC Internal Correspondence OLDDM-182313*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. 2005c: Mt Te Aroha mistletoe survey. *DOC Internal Correspondence OLDDM-183541*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. 2005d: Ground survey for threatened plants in Opuiaki Ecological Area. *DOC Internal Correspondence OLDDM-183615*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.

- Cashmore P. 2005e: *Thismia rodwayi* monitoring, Waitawheta Valley, Kaimai Mamaku FP. *DOC Internal Correspondence OLDDM-184695*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. 2005f: *Picris burbidgei* and *Pimelea tomentosa* survey/monitoring at Orokawa Scenic Reserve 2005. *DOC Internal Correspondence OLDDM-184703*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. 2006a: Te Pu (Roy Rd) Wetlands Field Trip. *The Rotorua Botanical Society Newsletter No. 47: 9-20*
- Cashmore P. 2006b: Tauranga Area Threatened Plant Survey/Monitoring 2005. *DOC Internal Correspondence DOCDM-35509*. Department of Conservation, Bay of Plenty Conservancy.
- Cashmore P. 2006c: *Picris burbidgei* and *Pimelea tomentosa* survey/monitoring at Orokawa Scenic Reserve 2006. *DOC Internal Correspondence DOCDM-79413*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P. 2008a: Kakahu Stream, Kaimai-Mamaku Forest Park. *The Rotorua Botanical Society Newsletter No. 45: 27-37*.
- Cashmore P. 2008b: *Sicyos australis* 'b' monitoring - Wallace property, Gordon. *DOC Internal Correspondence DOCDM-331485*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P.; Ecroyd C. 2000: Notes on the flora of the Forest Research "Central" Experimental Block, Mamaku Plateau. *The Rotorua Botanical Society Newsletter No. 34: 26-28*.
- Cashmore P.; Griffiths R.; Smale S. 2002a: Assessment of conservation values of Baxter Property, Onaia Stream - Kaharoa. Nature Heritage Fund application to the Bay of Plenty Conservancy: purchase of regenerating forest, private land located adjacent to the Onaia Ecological Area. *Unpublished report*. 6 pp. plus photos.
- Cashmore, P; Owen, K. n.d.: Assessment of Conservation Values of Ginn Property, Katikati. *OLDDM 178116*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Cashmore P.; Renner M. In press: Ngatamahinerua Plateau, Kaimai-Mamaku Forest Park. *Rotorua Botanical Society Newsletter*.
- Cashmore P.; Richardson C.; Smale S. 2002: Assessment of conservation values of Florey Property, Onaia Stream - Kaharoa. Nature Heritage Fund application, Bay of Plenty Conservancy: purchase of regenerating forest, extension to the Onaia Ecological Area. *Unpublished report*. 8 pp. plus photos.
- Cashmore P.; Willans M.; Owen K. n.d.: Assessment of conservation values of Geyser Farm Property, Onaia Stream - Kaharoa. Nature Heritage Fund application, Bay of Plenty Conservancy: purchase of tawa-dominated forest, Geyser Farm Ltd, Mamaku (unpublished). 8 pp. plus photos.
- Cheeseman T.F. 1906: Manual of the New Zealand Flora. Government Printers, Wellington.



- Cheeseman T.F. 1925: Manual of the New Zealand Flora. Edition 2 (Ed. W.R.B. Oliver). Government Printers, Wellington.
- Choudhry S., Bardsley W.E. 1997a. The effect of land use changes on river resources of the Kaimai hydropower catchment, New Zealand. Proceedings of International Conference on Modelling and Simulation, Tasmania, Australia: 440-443.
- Choudhry S.; Bardsley W.E.; Morad M. 1997b: Rainfall-runoff modelling of the Opuiaki River, New Zealand, using GIS. In: 24th Hydrology and Water Resources Symposium, Auckland.
- Christensen B.R. 2002: Northern Mamaku (Opuiaki) Restoration Programme: Project Plan 2002-2008. Bay of Plenty Conservancy, Department of Conservation, Rotorua (unpublished).
- Clarkson B.D. 1980: A note on the distribution of some indigenous plant species in the Waikato district, New Zealand. *Journal of the Royal Society of New Zealand* 11: 109-111.
- Clarkson B.D. 1981: Mangorewa Scenic Reserve: main habitats and features. Botany Division, Department of Scientific and Industrial Research, Rotorua (unpublished). 5 p.
- Clarkson B.D. 1985a. Botanical Survey of Tukorehe Scenic Reserve. *Unpublished report*. D.S.I.R., Rotorua. Copy held on File RSC048. 5 p. plus sketch plan.
- Clarkson B.D. 1985b: Tukorehe Scenic Reserve: Management Plan. Department of Lands and Survey, Rotorua (unpublished).
- Clarkson B.D. 1999: Vascular plant species list: wetland and adjoining forest in Forest Research experimental area A, Mamaku. Bay of Plenty Conservancy, Department of Conservation, Rotorua (unpublished). 3 p.
- Clarkson B.D. 2002: Upland forests and special open habitats. Kaimai Range. pp 82-90. In Clarkson B.D.; Merret, M.; Downs, T. (comp.) Botany of the Waikato. Waikato Botanical Society.
- Clarkson B.D.; Smale M.C.; Ecroyd, C.E. (Comps) 1991: Botany of Rotorua. Forest Research Institute, Rotorua. 132p.
- Clayton-Greene K.A. 1976: The vegetation of Mt Karioi and of forested areas of the Waikato, North Island, New Zealand. MSc thesis, University of Waikato.
- Clothier B., Mackay A., Hewitt A., Greenhalgh S., Thomas S., Manning M., Dominati E. 2008. Ecosystem Services: Thinking about Nature's Benefits. Presentation to MfE 14 October 2008, Wellington, [www.sluri.org.nz](http://www.sluri.org.nz).
- Clout M.N. 1977: Aspects of the ecology of possums in pine plantations. *Proceedings of the New Zealand Ecological Society* 24: 128-129.



- Clout M.N., Denyer K., James R.E. and McFadden I.G. 1995: Breeding success of New Zealand pigeons (*Hemiphaga novaeseelandiae*) in relation to control of introduced mammals. *New Zealand Journal of Ecology* 19: 209-212
- Cody A. 1994: Inventory of landforms, cold springs, geothermal fields and geothermal features. *Unpublished report and maps*. Prepared for Department of Conservation, Rotorua.
- Collins L. 2002: Threatened and uncommon plants. pp 99-104. In Clarkson B.D.; Merret, M.; Downs, T. (comp.) *Botany of the Waikato*. Waikato Botanical Society.
- Colwell R.K. 2000a: Estimates: Statistical Estimation of Species Richness and Shared Species from Samples Software and User's Version 6. <http://viceroy.eeb.uconn.edu/estimates>
- Corbett G.J. 1994: An assessment of possum damage to the indigenous vegetation of Otanewainuku Forest, Bay of Plenty. Unpublished report by the Land Resource Management Course, Bay of Plenty Polytechnic, Tauranga. 69 pp.
- Costanza R. 2008. Modelling and valuing ecosystem services. Vermont, USA, Gund Institute for Ecological Economics, University of Vermont.
- Costanza R., d'Arge R., de Groot R., Farberk S., Grasso M., Hannon B., Limburg K., Naeem S., O'Neill R.V., Paruelo J., Raskin R.G., Sutton P., van den Belt M. 1997. The value of the world's ecosystem services and natural capital. *Nature* 387(15 May 1997): 253-260.
- Craig J., Anderson S., Clout M., Creese B., Mitchell N., Ogden J., Roberts M. and Ussher G. 2000: Conservation issues in New Zealand. *Annual Review of Ecology and Systematics* 31: 61-78.
- Cromarty P.; Scott D.A. (eds.) 1995: A Directory of Wetlands in New Zealand. Department of Conservation, Wellington. 393 pp.
- Crook I.G. 1978: Proposals for conservation areas for native birds in the Mamaku-Rotorua area. *New Zealand Wildlife Service Fauna Survey Unit No. 9*. 10 pp + maps.
- Crook I.G.; Merton D.V.; Moran L.R. 1971: Distribution and habitats of native bird species in indigenous state forests in the Rotorua and Taupo districts. *Fauna Survey Unit Report No 1(a)*. New Zealand Wildlife Service, Wellington.
- Crookes M. 1963: New Zealand Ferns (incorporating illustrations and original work by H.B. Dobbie). Edition 6. Whitcombe and Tombs. 408 pp.
- Dale R.W., James I.L. 1977: Forest and environment in the Kaimai Ranges. *Technical Paper No. 65*. Forest Research Institute, New Zealand Forest Service. Wellington.
- Daniel M.J.; Williams G.R. 1984: A survey of the distribution, seasonal activity and roost sites of New Zealand bats. *New Zealand Journal of Ecology* 7: 9-25.

- Davidson M.M.; Nugent G. 1995: Fallow deer. pp 490-506. *In* King, C.M. (ed.) 1995: The Handbook of New Zealand Mammals. Oxford University Press in association with the Mammal Society. 600 pp.
- Davie T.J.A., Fenemor A., Kilvington M., Cole A., Gillespie P. 2004. Ridgetops to the sea: developing sustainable management tools in New Zealand's integrated catchment management project. in Hydrology: Science and practice for the 21st century. British Hydrological Society. *Volume II*: 72-79.
- Dawson D.G.; Bull P.C. 1975: Counting birds in New Zealand forests. *Notornis* 22: 101-109.
- Dawson D.G. 1981: Counting birds for a relative measure (index) of density. Pg.12-16 in C.J.Ralph & J.M. Scott (Eds). Estimating numbers of terrestrial birds. *Studies in Avian Biology No. 6*: 630 pp.
- Dawson D.G.; Gaze P.D. 1983: Ecology Division submission on Kaimai - Mamaku State Forest Park draft management plan revision 1982-1992. Ecology Division, Department of Scientific and Industrial Research, Lower Hutt (unpublished).
- Dawson J.; Lucas R. 1996: New Zealand coast and mountain plants. Victoria University Press, Wellington.
- DEFRA 2007: Valuation of ecosystem services in a decision making context - Priority 4. DEFRA, *Background Paper*, 26 April 2007.
- de Lange P.J. 1986: The distribution of some rare and uncommon vascular plants in the Eastern Waikato. *New Zealand Botanical Society Newsletter* 4:10-12
- de Lange P.J. 1988: *Hymenophyllum minimum* Rich. at McLaren Falls. *New Zealand Botanical Society Newsletter* 14: 26-29
- de Lange P.J., Norton D.A., Courtney S.P., Heenan P.B., Barkla J.W., Cameron E.K., Hitchmough A.J. 2009: Threatened and uncommon plants of New Zealand (2008 revision). *New Zealand Journal of Botany* 47: 61-96.
- de Lisle J.F. 1967: Climate of the Waikato Basin. *Earth Science Journal* 1: 2-6.
- de Monchy P.J.M.; Broome K.; Ogle M. 2000: Rata View: a method for monitoring canopy condition of northern rata (*Metrosideros robusta*). Department of Conservation, Waikato Conservancy, New Zealand.
- Dell P.M. 1982a: The effect of afforestation on the water resource of the Mamaku Plateau Region. Unpublished MSc thesis, University of Waikato, Hamilton. 178 p. plus appendices.
- Dell P.M. 1982b: The water resource of the Mamaku Plateau region. New Zealand Hydrological Society Annual Symposium, 23-26 November 1982. University of Auckland, Auckland. 13 p.



- Dell P.M.; Cameron L.A.; Carter D.A. 1980: Mamaku Plateau investigation: second interim report. Hauraki Catchment Board and Regional Water Board (unpublished). 19 p. plus maps and appendices.
- Denyer K.; Clarkson B. and Clarkson B. 1999: Waikato freshwater wetland monitoring strategy. Scoping exercise for State of the Environment Monitoring. Landcare Research Project, prepared for Environment Waikato.
- Department of Conservation (DOC) 1993: Bay of Plenty Conservancy, Department of Conservation. Land inventory systems, Tauranga Ecological District.
- Department of Conservation 1994a: National Possum Control Plan 1993-2002. Department of Conservation, Wellington.
- Department of Conservation 1994b: Schedule of sites of significant conservation value, western Bay of Plenty. Volumes 1, 2a, 2b, 3.
- Department of Conservation 1994c: An education compendium for Kaimai-Mamaku Forest Park. Bay of Plenty Conservancy, Department of Conservation, Rotorua. 90 pp.
- Department of Conservation 1994d: Kaimai-Mamaku Forest Park day walks. Department of Conservation, Tauranga.
- Department of Conservation 1996b: Landforms of the Bay of Plenty Conservancy. Unpublished data held by Bay of Plenty Conservancy Office, Rotorua.
- Department of Conservation 1996c: Recreation priorities for Kaimai-Mamaku Forest Park. Department of Conservation, Rotorua. 9 p. plus map.
- Department of Conservation 1997a: Conservation Management Strategy Volume I for Bay of Plenty Conservancy 1997-2007. Department of Conservation, Rotorua. 273 p.
- Department of Conservation 1997b: Conservation Management Strategy Volume II for Bay of Plenty Conservancy 1997-2007. Department of Conservation, Rotorua. 58 pp + maps.
- Department of Conservation 1997c: Tracks through time: moments in history of the Kaimai-Mamaku Forest Park. Department of Conservation, Rotorua. 16 p. plus illustrations.
- Department of Conservation 1998. National Feral Goat Control Plan 1995-2004. Department of Conservation, Wellington. 66 pp.
- DOC and MfE 2000: The New Zealand Biodiversity Strategy. Department of Conservation and Ministry for the Environment, Wellington.
- Department of Conservation 2000: Kaimai-Mamaku Forest Park Map: interim revision of coloured topographic map, 1:63 000 scale. Department of Conservation, Tauranga.
- Department of Conservation 2002b: Proposed purchase of forest research areas. Native forest and wetland Mamaku Plateau - Rotorua District. Project summary. Nature Heritage application. Department of Conservation, Rotorua (unpublished). Project summary: 8 p. Report: 16 p. plus aerial colour photos. Valuation report: 17 p.

- Department of Conservation 2005: Opuiaiki Kokako Survey March 2005. Prepared for Department of Conservation Area Office by Jeff Hudson Ecosystem Restorations.
- Department of Conservation 2008a: Department of Conservation Bioweb Herpetofauna Database. <http://192.206.154.97/BioWebExtranet/BioWebFrame.htm>, accessed 28 March 2008.
- Department of Conservation (DOC) 2008b: Bay of Plenty Conservancy Conservation Units. 11/03/2008. Bay of Plenty Conservancy, Rotorua, New Zealand. Crown Copyright Reserved.
- Department of Conservation (DOC) 2008c: Draft Conservation Management Strategy 2008-2018. Bay of Plenty Conservancy. Department of Conservation, Rotorua.
- Department of Lands and Survey 1975: Kaimai-Mamaku Region: proposals for a National Park. Department of Lands and Survey, Hamilton. 37 p. plus coloured maps and photos.
- Department of Survey and Land Information 1995: Kaimai- Mamaku Map. New Zealand Department of Survey and Land Information, Wellington.
- Diamond J.M. 1995: The island dilemma: lessons of modern biogeographical studies for the design of natural reserves. *Biological Conservation* 7 (2): 129-145.
- Druce A.P. 1977: Trees, Shrubs and Lianes of New Zealand (Including wild hybrids). A check-list. Revised July 1980. Botany Division, D.S.I.R., Lower Hutt
- Druce A.P.; Druce H.M.; Haydock K. 1982: Indigenous higher plants (psilopsids, lycopods, ferns, gymnosperms, flowering plants) of Kaimai Range, S. Auckland. Based on visits 1959, 1960, and April 1982. Revised 1992. *Unpublished checklist No. 219*. Botany Division, D.S.I.R. (held at Landcare Research, Lincoln) .12 pp.
- Dugdale J. 2003: Bumbling in the dark. *Stowaways* 3: 9.
- Eagle A. 1982: Eagle's trees and shrubs of New Zealand. Second series. Collins, Auckland. 382 pp.
- Edmonds A.S. 1982: Indigenous forests of the central North Island. In: Symposium: fauna of the central North Island Volcanic Region. *New Zealand Entomologist* 7: 271-276.
- Elliott A.; Parshotam A., and Wadhwa S. 2009: Tauranga Harbour Sediment Study, Catchment Model Results. NIWA Client Report HAM2009-046, prepared for Environment Bay of Plenty, April 2009. 40 p.
- Elliott G.P.; Dilks P.J.; O'Donnell C.F.J. 1996: The ecology of yellow-crowned parakeets (*Cyanoramphus auriceps*) in *Nothofagus* forest in Fiordland, New Zealand. *New Zealand Journal of Zoology* 23: 249-266.
- Environment Bay of Plenty 1997. Introducing Tauranga Moana (Tauranga Harbour). Environment Bay of Plenty Regional Council, Whakatane, *Resource Planning Publication No. 97/2*: 35 pp.

- Environment Bay of Plenty 2003: Bay of Plenty Regional Pest Management Strategy 2003-2008. *EnvBOP Operations Report 2003/10*, Environment Bay of Plenty, Whakatane. 57 pp.
- Environment Bay of Plenty 2006a: Ecological Networks and Connections in the Tauranga Catchment. *Environment Bay of Plenty Internal Report 2006/03*, June 2006.
- Environment Bay of Plenty 2006b: Environment Bay of Plenty Community Outcomes Survey 2006. Strategic Policy Publication 2007/02. Environment Bay of Plenty.
- Environment Bay of Plenty 2006c: Tauranga Harbour Integrated Management Strategy. Environment Bay of Plenty Environmental Publication 2006/09. September 2006.
- Environment Bay of Plenty 2007: Ecological Networks and Connections in the Tauranga Harbour Catchment. Investigation of Work Road and Aongatete-Waipapa Corridors. *Internal Report 2007/02*
- Environment Waikato n.d.: Kaimai Mamaku - Land use and erosion. *Doc # 1491848*. Waikato Regional Council.
- Environment Waikato 1996: Regional pest management strategy. Environment Waikato, Hamilton.
- Evans B. 2004: Report following the 2004 Kokako survey of the Mokaihaha Ecological Area. *OLDDM-189353*. Department of Conservation.
- Evans B. 2009: A census of North Island Kokako (*Callaeas cinerea wilsoni*) in the Mokaihaha Ecological Area, Bay of Plenty. *Unpublished report DOC DM-425842*. Department of Conservation.
- Fleming C.A. 1969: Mammon on the Mamaku. Guest editorial. *New Zealand Listener: Journal of the National Broadcasting Service* 62: 1570.
- Fransen P.J.B. 1982: Geology of the western Mamaku Plateau and variations in the Mamaku ignimbrite. Unpublished MSc thesis in Earth Sciences, University of Waikato, Hamilton. 209 p. plus appendices and maps.
- Gemmell N.J.; Bowsher J.H; Gomas K.P. 2003: Genetic affinities of Hochstetter's frog (*Leiopelma hochstetteri*) populations in the Bay of Plenty. *DOC Science Internal Series 141*. Department of Conservation, Wellington. 19 pp.
- Gilchrist A. 2000: A baseline study of *Paryphanta busbyi* in the Kaimai - Mamaku Ranges region. Tauranga Area Office, Department of Conservation, Tauranga (unpublished). 22 p. plus coloured map and 18 references.
- Gill B. and T. Whitaker 1996: New Zealand Frogs and Reptiles. David Bateman Ltd, Auckland. 112 pp.
- Gibbs H.S.; Lowe D.J.; Hogg A.G. 1982: Parent materials of yellow-brown loams in the Waikato-Coromandel district. *In Soil Groups of New Zealand Part 6, Yellow-Brown Loams*. V.E. Neall, ed. New Zealand Society of Soil Science, Wellington.



- Given D.R. 1981: Rare and Endangered Plants of New Zealand. Reed Ltd, Wellington. 154 pp.
- Glauser, P. and K. Ludwig 1997: North Island Brown Kiwi Survey. Records held in white 'Kiwi Calls Survey 1981' box in records room, Rotorua Conservancy.
- Golubiewski N. 2007: Ecosystem services benefits in terrestrial ecosystems for Iwi: biophysical accounting of ecosystem services. Internet paper: 3.
- Gotelli N. J. and R.K. Colwell 2001: Quantifying biodiversity: procedures and pitfalls in the measurement and comparison of species richness. *Ecology Letters* 4: 379-391.
- Green M.O. 2009a: Tauranga Harbour Sediment Study: Implementation and Calibration of the USC-3 Model. *NIWA Client Report HAM2009-038*, prepared for Environment Bay of Plenty, May 2009. 71 p.
- Green M.O. 2009b: DRAFT. Tauranga Harbour Sediment Study: Predictions of harbour sedimentation under future scenarios. *NIWA Client Report HAM2009-078*, prepared for Environment Bay of Plenty, June 2009. 64 p.
- Green T.G.A; Jane G.T. 1983a: Diurnal patterns of water potential in the evergreen cloud forests of the Kaimai ranges, North Island, New Zealand. *New Zealand Journal of Botany* 21: 379-389
- Green T.G.A; Jane G.T. 1983b: Changes in osmotic potential during bud break and leaf development of *Nothofagus menziesii*, *Weinmannia racemosa*, *Quintinia acutifolia* and *Ixerba brexioides*. *New Zealand Journal of Botany* 21: 391-395.
- Green W. and Clarkson B. 2005: Turning the Tide?. A Review of the First Five Years of the New Zealand Biodiversity Strategy. The Synthesis Report. Prepared for Ministry for the Environment.
- Griffiths C.D.; Harris R.W. 1972: Waihou valley scheme: Mountain zone report. Hauraki Catchment Board and Regional Water Board, Auckland (unpublished). 8 p.
- Grimmett R.F.R. 1929: Chemical control of ragwort: experimental work at Mamaku. *New Zealand Journal of Agriculture* 39: 382-384.
- Grove P.B. and Shaw W.B. 1999: Vegetation and fauna of a Whakamarama forest remnant, Western Bay of Plenty District. *Wildland Consultants Ltd Contract Report No. 256*. 9 pp.
- Gudex M.C. 1962: The native flora of Fitzgerald Glade (Matamata County). *Transactions of the Royal Society of New Zealand Botany* 1: 117-120
- Gudex M.C. 1963: The native flora of Maungatautari and the Kaimai Range, and the distribution of native plants of the Waikato. *Transactions of the Royal Society of New Zealand - Botany* 2: 173-84.
- Hamlin B.G. 1954: Studies in New Zealand Carices. 1: The Section Acutae Fries. *Transactions and Proceedings of the Royal Society of New Zealand* 82: 49-64

- Hamlin B.G. 1954: Studies in New Zealand Carices. 2 and 3. *Transactions and Proceedings of the Royal Society of New Zealand* 84: 681-687
- Hancock N.; Hume T., and Swales A. 2009: Tauranga Harbour Sediment Study, Harbour Bed Sediments. *NIWA Client Report HAM2008-123*, prepared for Environment Bay of Plenty, March 2009. 65 p.
- Hanski I. 1998: Metapopulation dynamics. *Nature* 396: 41-49.
- Harris R.W. 1976: Commercial forestry operations - Mamaku range: Waihou River catchment part 'Mountain Zone' Waihou Valley scheme. Hauraki Catchment Board and Regional Water Board, Auckland (unpublished). 21 p.
- Harris R.W. 1979a: Preservation of the quality and availability of the waters from the Coromandel-Kaimai-Mamaku Ranges. Hauraki Catchment Board and Regional Water Board, Auckland (unpublished). 16 p.
- Harris R.W. 1979b: Waihou valley scheme: Mountain zone, Mamaku Plateau—N.Z. Forest Products Operation. Hauraki Catchment Board and Regional Water Board, Auckland (unpublished). 2 p.
- Harris R.W.; Hansen, P.V. 1979: Forestry operations—Mamaku range: Report No. 2—Erosion and water quality assessment. Hauraki Catchment Board and Regional Water Board, Auckland (unpublished). 20 p.
- Hatton C., Thomson M., Donovan W.F. and Larcombe M.F. 1975: Ecological monitoring of the lower reaches of the major Bay of Plenty Rivers, the Ohau Channel and parts of the Tauranga Harbour. Volume 3. *Bioresearches Ltd.* Report Prepared for the Bay of Plenty Catchment Commission and Regional Water Board
- Healy J., Schofield J.C. and Thompson B.N. 1974: Geological map of New Zealand, Sheet 5 - Rotorua. 1:250,000. *New Zealand Geological Survey*. Department of Scientific and Industrial Research, Wellington.
- Heaphy J. 1999: 1999 Dactylanthus Report - Tauranga Area Office. *DOC Internal Correspondence OLDDM-51919*. Department of Conservation, Tauranga Area Office.
- Heaphy J. 2000: Dactylanthus Annual Report For 2000 - Tauranga Area Office. *DOC Internal Correspondence OLDDM-155837*. Department of Conservation, Tauranga Area Office.
- Heaphy J. 2003: Tauranga Dactylanthus 2003 Annual Report to Recovery Group. *DOC Internal Correspondence OLDDM-191459*. Department of Conservation, Tauranga Area Office.
- Heaphy J. 2004: Tauranga Dactylanthus 2004 Annual Report to Recovery Group. *DOC Internal Correspondence OLDDM-192409*. Department of Conservation, Tauranga Area Office.

- Heaphy J. 2005: Tauranga *Dactylanthus* 2005 Annual Report to Recovery Group. *DOC Internal Correspondence OLDDM-193757*. Department of Conservation, Tauranga Area Office.
- Heaphy J. 2007a: Opuiaki Short Tail Bat Record. Department of Conservation. *DOC File Note NHS 04*.
- Heaphy J. 2007b: Tauranga *Dactylanthus* 2007 Annual Report to Recovery Group. *DOC Internal Correspondence DOCDM-183041*. Department of Conservation, Tauranga Area Office.
- Heather B. and Robertson H. 1996: The Field Guide to the Birds of New Zealand. Viking/Penguin Books (NZ) Ltd, Auckland.
- Heck K.L. Jr, van Belle G. and Simberloff D. 1975: Explicit calculation of the rarefaction diversity measurement and the determination of sufficient sample size. *Ecology* 56: 1459-1461.
- Helm A., Hanski I., Pärtel M. 2006: Slow response of plant species richness to habitat loss and fragmentation. *Ecology Letters* 9: 72-77.
- Hewitt A.E. 1992: New Zealand soil classification. *Land resources Scientific Report No. 19*. DSIR, Wellington.
- Hicks D.L. 1991b: Erosion under pasture, pines, scrub and indigenous forest. *New Zealand Forestry* 26: 21-22.
- Hickson M; Angus B. 2007: Department of Conservation Proposed Management Plan for Goats. Kaimai Mamaku Forest Park. *DOCDM 239183*. Department of Conservation.
- Hill R.; Tonkin P.; Almond P. 1998: The origin, character and distribution of pumiceous Taupo deposits in an upland environment, Mamaku Plateau. Geological Society of New Zealand and New Zealand Geophysical Society, joint annual conference, 30 November - 3 December 1998. 176 p.
- Hilty J.A., Lidicker W.Z., Merenlender A.M., (Eds.) 2006. Corridor ecology: The science and practice of linking landscapes for biodiversity conservation. Washington DC, Island Press. 323 pp.
- Hobbs J.F.F. 2001: *Peperomia tetraphylla* (Forst. F.) Hook. et Arn. - four records from the western Bay of Plenty. *Rotorua Botanical Society Newsletter* 36: 68-69
- Holdaway R.N. 1989: New Zealand's pre-human avifauna and its vulnerability. *New Zealand Journal of Ecology* 12: 11-25.
- Hosking G.P. 1986: Beech death. What's New in Forest Research No. 140. Forest Research Institute, Rotorua. 4 p. Includes illustrations.
- Hosking G.P.; Hutcheson J.A. 1986: Hard beech (*Nothofagus truncata*) decline on the Mamaku Plateau, North Island, New Zealand. *New Zealand Journal of Botany* 24: 263-269.

- Houghton B.F., Wilson C.J.N., McWilliams M.O., Lanphere M.A., Weaver S.D., Briggs R.M., Pringle M.S. 1995: Chronology and dynamics of a large silicic magmatic system: central Taupo Volcanic Zone, New Zealand. *Geology* 23: 13-16.
- Howell C. 2008: Consolidated list of environmental weeds in New Zealand. *DOC Research and Development Series 292*. Science and Technical Publishing, Department of Conservation, Wellington.
- Hubbell S.P. 2001: The unified neutral theory of biodiversity and biogeography. Princeton University Press, Princeton, New Jersey.
- Hudson J. 2005: Opuiaki kokako survey, March 2005. Unpublished report prepared for the Tauranga Area Office, Department of Conservation.
- Hume T., Green M., Elliott S. in prep. Tauranga Harbour Sediment Study, Assessment of predictions for management. NIWA Client Report HAM2009-139, prepared for Environment Bay of Plenty.
- Humphreys E.A. and Tyler A.M. 1990: Coromandel Ecological Region. New Zealand Protected Natural Areas Programme. Department of Conservation, Waikato Conservancy, Hamilton. 283 pp.
- Hurlbert S.H. 1971: The nonconcept of species diversity: a critique and alternative parameters. *Ecology* 52: 577-585.
- Husheer Sean W.; Robertson Alastair W. 2005: High-intensity deer culling increases growth of mountain beech seedlings in New Zealand. *Wildlife Research* 32: 273-280.
- Husheer Sean W.; Allen Robert B.; Robertson Alastair W. 2006: Suppression of regeneration in New Zealand mountain beech forests is dependent on species of introduced deer. *Biological Invasions* 8: 823-834
- Hutcheson J.; Walsh P. and Given D. 1999: Potential value of indicator species for conservation and management of New Zealand terrestrial communities. *Science for Conservation* 109. Department of Conservation, Wellington. 90 pp.
- Innes, J.; Hay, R.; Flux, I.; Bradfield, P.; Speed, H.; Jansen, P. 1999: Successful recovery of North Island kokako *Callaeas cinerea wilsoni* populations, by adaptive management. *Biological Conservation* 87: 201-214
- Irving, R. and Skinner, M. 1985: Botanical report on Wairere Falls Scenic Reserve. *Unpublished Report*. Botany Division, D.S.I.R., Rotorua. 13 pp. Copy held on Department of Conservation File RSC 062.
- Jane G.T. 1978.: Guidelines for monitoring and control of wild animals in forests of Rotorua Conservancy. *Unpublished report*. New Zealand Forest Service. 77 pp.
- Jane G.T. 1979: Forests and animals of the Rotorua Lakes and Mamaku Regions. New Zealand Forest Service, Rotorua (unpublished). 38 p. plus maps and photos.
- Jane G.T. 1983: Vegetation mortality in the Kaimai Ranges, North Island, New Zealand. D. Phil. thesis, University of Waikato.

- Jane G.T. 2004: Aongatete Loop Track. *The Rotorua Botanical Society Newsletter* 43: 21-30
- Jane G.T. 2007: Dickey Flat Trip Report. *The Rotorua Botanical Society Newsletter* 48: 16-24
- Jane G.T.; Donaghy, G. D.; Hobbs, J. 2007: Ngatamahinerua at Last (But Not Without Casualties). *The Rotorua Botanical Society Newsletter* 48: 29-32
- Jane G.T.; Green T.G.A. 1983a: Episodic forest mortality in the Kaimai Ranges, North Island, New Zealand. *New Zealand Journal of Botany* 21: 21-31
- Jane G.T.; Green T.G.A. 1983b: Vegetation mortality in the Kaimai Ranges, North Island, New Zealand. *Pacific Science* 37: 385-389
- Jane G.T.; Green T.G.A. 1983c: Morphology and incidence of landslides in the Kaimai Range. *New Zealand Journal of Geology and Geophysics* 26: 71-84
- Jane G.T.; Green T.G.A. 1983d: Biotic influences on landslide occurrence in the Kaimai Range. *New Zealand Journal of Geology and Geophysics* 26: 381-393
- Jane G.T.; Green T.G.A. 1983e: Utilisation of pressure-volume techniques and non-linear least squares analysis to investigate site induced stresses in evergreen trees. *Oecologia* 57: 380-390
- Jane G.T.; Green T.G.A. 1984a: Ecological aspects of climate patterns within the Kaimai ranges, North Island, New Zealand. *New Zealand Journal of Ecology* 7: 183-196
- Jane G.T.; Green T.G.A. 1984b: Patterns of stomatal conductance in six evergreen tree species from a New Zealand cloud forest. *Botanical Gazette* 146: 413-420
- Jane G.T.; Green T.G.A. 1986: Etiology of forest dieback areas within the Kaimai Range, North Island, New Zealand. *New Zealand Journal of Botany* 24: 513-527
- Kaval P., Hughes W., Scrimgeour F. 2004. Te Kouma Farm Park: An Economic Analysis. University of Waikato, Hamilton. Contract report prepared for Environment Waikato: 43 pp.
- Kelly G.C. 1980: Landscape and nature conservation. pp 63-87. In Molloy L.F. (compiler). Land alone endures. Land use and role of research. *Discussion Paper Number 3*. Department of Scientific and Industrial Research, Wellington. 286 pp.
- Kelly J. 2008a: Horohoro Forest Conservation Area - Mokaihaha Ecological Area and surrounds. Walkthrough ecological surveys, November 2008. *DOC DM-367434*. Department of Conservation.
- Kelly J. 2008b: Dwarf galaxias (*Galaxias divergens*) Inventory and Monitoring Plan - Waihou River 2008-2010. *Unpublished report DOC DM-343550*. Department of Conservation, Rotorua. 11 pp.

- Kennedy N.M. 1987: Late Quaternary loess deposition (c. 200,000 yrs bp-c. 15,000 yrs BP) on the Mamaku Plateau North Island, New Zealand. In Eden, D.N.; Furket, R.J. (Eds): Loess: its distribution, geology and soils: Proceedings of an International Symposium on Loess, New Zealand, 14-21 February 1987.
- Kennedy N.M. 1994: New Zealand tephrochronology as a tool in geomorphic history of the c.140 ka Mamaku Ignimbrite Plateau and in relating oxygen isotope stages *Geomorphology* 9: 97-115.
- Kennedy N.M.; Pullar W.A. 1977: Loess on the Mamaku Plateau. *New Zealand Soil News* 25(3): 91
- Kenny J.A. and Hayward B.W. (eds.) 1996: Inventory and maps of important geological sites and landforms in the Bay of Plenty region. *Geological Society of New Zealand Miscellaneous Publication 86*. Geological society of New Zealand, Lower Hutt. 47 pp plus maps.
- Kimber R.W.L.; Kennedy N.M.; Milnes A.R. 1994: Amino acid racemization dating of a 140 000 year old tephra-loess-palaeosol sequence on the Mamaku Plateau near Rotorua, New Zealand. *Australian Journal of Earth Sciences* 41: 19-26.
- King D.R. 1983: Tarukenga Scenic Reserve: main habitats and features, species list. Department of Scientific and Industrial Research, Rotorua (unpublished). 4 p. plus sketch plan.
- King D.R. 1984: Botanical survey of Dansey Road Scenic Reserve: main habitats and features. Department of Scientific and Industrial Research, Rotorua (unpublished). (Copy held at Bay of Plenty Conservancy Office, Department of Conservation, Rotorua; Old File RSC-003.) 6 p.
- Knightbridge P.I. 1993: The Regeneration Ecology of northern rata (*Metrosideros robusta*). MSc Thesis. University of Auckland.
- Knowles B.; Beveridge A.E. 1982 (comp.): Biological flora of New Zealand. 9. *Beilschmiedia tawa* (A. Cunn.) Benth. et Hook. F. ex Kirk (Lauraceae) Tawa. *New Zealand Journal of Botany* 20: 37-54
- Krummel J.R., Gardner R.H. Sugihara G., O'Neill R.V. and Coleman P.R. 1987: Landscape patterns in a disturbed environment. *Oikos* 48: 321-324.
- Kuschel G. 1990: Beetles in a suburban environment: a New Zealand case study: the identity and status of *Coleoptera* in the natural and modified habitats of Lynfield, Auckland (1974-1989). Department of Scientific and Industrial Research. *DSIR Plant Protection Report Number 3*.
- Laman T.G. 1996: Ficus seed shadows in a Bornean rain forest. *Oecologia* 107: 347-355.
- Land Resource Management Class 1993: Baseline survey of the Ngamuwahine catchment, Kaimai Ranges. Bay of Plenty Polytechnic, Tauranga.
- Landcare Research 1996: Land Cover Database Version One.



- Landcare Research 2004: Land Cover Database Version Two.
- Lavers R.B. 1978: Distribution of the North Island kokako (*Callaeas cinerea wilsoni*) - a review. *Notornis* 25(3): 165-185.
- Lawrie A. 2006: Tauranga Harbour Integrated Management Strategy. *Environment Bay of Plenty Environmental Publication 2006/09*.
- Lawton J. 1997: The science and non-science of conservation biology. *Oikos*. 79:3-5.
- Leach D. 1929: Area for opossums. *Hauraki Plains Gazette*, Paeroa, Wednesday 4 September 1929.
- Leathwick J.R. 1984: Discovery of the sedge *Gahnia rigida* at Pureora. *The Rotorua Botanical Society Newsletter No. 3*: 16-17.
- Leathwick J.R.; Hay J.R.; Fitzgerald A.E. 1983: The influence of browsing by introduced mammals on the decline of North Island kokako (*Callaeas cinerea*). *New Zealand Journal of Ecology* 6: 55-70.
- Leathwick J.R.; Clarkson B.D.; Whaley P.T. 1995: Vegetation of the Waikato Region; Current and Historical Perspectives. *Landcare Research Contract Report: LC9596/022*. Prepared for: Environment Waikato.
- Leathwick J., Morgan F., Wilson G., Rutledge D., McLeod M., Johnston K. 2002. Land Environments of New Zealand: A Technical Guide. Wellington, Ministry for the Environment. 244 pp.
- Llewellyn M. 1985: Wild animal distribution in the Rotorua Lakes and Mamaku regions. 1983-4 animal survey results. *Unpublished report*. New Zealand Forest Service.
- Lockwood J.L., Cassey P., Blackburn T. 2005: The role of propagule pressure in explaining species invasions. *Trends in Ecology and Evolution*, 20, 5, 223-228.
- Long C. 1987: Time and the forest. *Forest & Bird* 18(2): 16-18.
- Magurran A.E. 1988: Ecological Diversity and its Measurement. Princeton University Press, Princeton, U.S.A.
- Marsh S.; Blake M. 1997: A survey for North Island Kokako in the Mokaihaha Ecological Area, Bay of Plenty. *Unpublished report*. Department of Conservation.
- Marwick K. 1982: Report on recreation development and potential in the Kaimai - Mamaku State Forest Park (1975-81). New Zealand Forest Service, Tauranga (unpublished). 33 p. plus appendices.
- Maunder W.J. 1973: Climate of the Waikato. *In* Natural resources survey, Part III. Aikato Coromandel and King Country Region. New Zealand Ministry of Works, Town and Country planning division.
- May B.M. 1993: Larvae of Curculionoidea (Insecta: Coleoptera): a systematic overview. *Fauna of New Zealand* 28. Manaaki Whenua Press, Christchurch. 226 pp.



- McCraw J.D. 1967: The surface features and soil pattern of the Hamilton basin. *Earth Sciences Journal* 1: 59-74
- McCraw J.D. 1997: Soils and topography of the Hamilton basin. In Stokes, E.; Begg, M. (eds) *Belonging to the land - Te hononga ki te whenua: people and places in the Waikato region*. Waikato Branch, New Zealand Geographical Society, Hamilton.
- McCraw J.D. 2002: Physical Environment. pp 13-22. In Clarkson B.D.; Merret, M.; Downs, T. (comp.) *Botany of the Waikato*. Waikato Botanical Society.
- McDowell R.M. 1990: *New Zealand Freshwater Fishes. A Natural History and Guide*. Heinemann Reed. 553 pp.
- McEwen W.M. 1982: Cone development and phenology of podocarp tree species. Project Record No. 43. Forest Research Institute, Rotorua (unpublished). 5 p. plus colour photos.
- McEwen W.M. (ed.) 1987a: *Ecological regions and districts of New Zealand*. Third revised edition in four 1:500 000 maps. Part 1. Northern North Island from Kermadec to Mayor. *New Zealand Biological Resources Centre Publication No. 5*. Department of Conservation, Wellington. 35 pp.
- McEwen W.M. (ed.) 1987b: *Ecological regions and districts of New Zealand*. Third revised edition in four 1:500 000 maps. Part 2. Central North Island from Meremere to Eastern Hawkes Bay. *New Zealand Biological Resources Centre Publication No. 5*. Department of Conservation, Wellington. 61 pp.
- McEwen W.M., (Ed.) 1987c. Booklet to accompany SHEET 1: descriptions of Districts in the northern North Island, from Kermadec to Mayor. *Ecological Regions and Districts of New Zealand*. Wellington, Department of Conservation. 63 pp.
- McEwen M. 2005: *Charles Fleming, environmental patriot. A biography*. Craig Potton Publishing House, Nelson. 382 p.
- McKelvey P.J.; Nicholls J.L. 1957: A provisional classification of North island forests. *New Zealand Journal of Forestry* 7: 84-101
- McLennan J.A., Dew L., Miles J., Gillingham N., Waiwai R. 2004: Size matters: predation risk and juvenile growth in North Island brown kiwi (*Apteryx mantelli*). *New Zealand Journal of Ecology* 28: 241-250.
- McLennan J.A., Potter M.A., Robertson H.A., Wake G.C., Colbourne R., Dew L., Joyce L., McCann A.J., Miles J., Miller P.J., Reid J. 1996: Role of predation in the decline of kiwi, *Apteryx* spp., in New Zealand. *New Zealand Journal of Ecology* 20: 27-35.
- Merriam R.W., Feil E. 2002: The potential impact of an introduced shrub on native plant diversity and forest regeneration *Biological Invasions* 4: 396-373
- Miers K.H.L 1985: *Kaimai-Mamaku State Forest Park proposed ecological areas*. New Zealand Forest Service, Wellington. Letter to Minister of Forests. 3 pp.



- Milner D.M. 1998: Mamaku Ignimbrite: source and features. Geological Society of New Zealand and New Zealand Geophysical Society, joint annual conference, 30 November - 3 December 1998. 260 p.
- Milner D.M.; Cole J.W.; Wood C.P. 2000: Geochemistry and emplacement of c.225 ka Mamaku Ignimbrite. Geological Society of New Zealand and New Zealand Geophysical Society, joint annual conference, 27-30 November 2000. 176 p.
- Milner D.M., Cole J.W., Wood C.P. 2003: Mamaku ignimbrite: a caldera-forming ignimbrite erupted from a compositionally zoned magma chamber in Taupo Volcanic Zone, New Zealand. *Journal of Volcanology and Geothermal Research* 122: 243-364.
- Millennium Ecosystem Assessment Board 2005: Living beyond our means. Natural assets and human well-being. Statement from the Board. Millennium Ecosystem Assessment, *Synthesis Report*: 28 pp.
- Ministry for the Environment 2007a: Protecting our Places. Information about the Statement of National Priorities for Protecting Rare and Threatened Biodiversity on Private Land. Ministry for the Environment, Wellington, No. ME 805: 51 pp.
- Ministry for the Environment 2007b: Protecting our Places. Introducing The National Priorities For Protecting Rare And Threatened Native Biodiversity On Private Land. Ministry for the Environment, Wellington, No. MfE 799: 8 pp.
- Ministry for the Environment, Ministry of Agriculture and Forestry 2004 Water Programme of Action: Potential Water Bodies of National Importance. Appendix 1: Biodiversity dimension of natural heritage Ministry for the Environment Accessed: 2009 (<http://www.mfe.govt.nz/publications/water/national-importance-jul04/html/page5.html>)
- Miskelly C.M., Dowding J.E., Elliott G.P., Hitchmough R.A., Powlesland R.G., Robertson H.A., Sagar P.M., Scofield R.P., Taylor G.A. 2008. Conservation status of New Zealand birds, 2008. *Notornis* 55: 117-135
- Mitchell J.M., Beveridge A.E. and Nicholls J.L. 1976: Report on Kuhatahi and Waipari catchments, Mamaku Forest. Forest Research Institute (FRI), Rotorua. 7 pp.
- Moberly B. 1984: Interplanting of reverted indigenous cutover with exotic species in State Forest 3, Mamaku. Project Record 970. Forest Research Institute, Rotorua (unpublished). 114 p. Includes illustrations.
- Molloy J., Davis A. 1994: Setting the priorities for the conservation of New Zealand's threatened plants and animals. 2<sup>nd</sup> edition, collated by C. Tisdall. Department of Conservation. Wellington. 64 pp.
- Moore G.E. 2001: Use of Kinleith Forest by native New Zealand bats and effects of forestry. Unpublished MSc thesis. Massey University, Palmerston North. 255 p.
- Morgan M.D. 1986: Geology of the northern Mamaku Plateau. 306 p. with illustrations, plus maps. (Held at University of Waikato, Hamilton.)

- Myers S.C., Park G.N., Overmars E.B., 1987: A guidebook for the rapid ecological survey of natural areas. *New Zealand Biological Resources Centre Publication No. 6*. Department of Conservation, Wellington. 113 pp.
- Myers N. 1993: Biodiversity and the precautionary principal. *Ambio* 22: 74-79.
- Nairn I.A. 1992: Comments on the "Physical area classification" scheme for the Bay of Plenty Region Coastal Area. *Unpublished report*. DSIR, Rotorua. 2 pp.
- Nelson R.O. 1974: Problems and campaigns that lie ahead. *Forest & Bird* 193: 14-17.
- New Jersey Department of Environmental Protection, New Jersey Department of Environmental Protection, State of New Jersey: 177.
- Newman D.G. 1988: Evidence of predation on a young tuatara, *Sphenodon punctatus*, by kiore, *Rattus exulans* on Lady Alice Island. *New Zealand Journal of Zoology* 15: 443-446.
- Newsome P.F.J. 1987: The Vegetative Cover of New Zealand. *Water and Soil Miscellaneous Publication 112*. Ministry of Works and Development, Wellington. 153 pp.
- New Zealand Forest Service 1976: Management plan: Kaimai-Mamaku State Forest Park 1976-80. 25 pp.
- New Zealand Forest Service 1976-1986: Annual reports Kaimai- Mamaku State Forest Park. Conservator of Forests. New Zealand Forest Service, Rotorua.
- New Zealand Forest Service 1977: Kaimai-Mamaku State Forest Park: Management Plan 1976-1982. New Zealand Forest Service, Rotorua. 23 p. plus 4 references, 4 appendices and 5 maps.
- New Zealand Forest Service 1978: Ecological Area recommendation maps. File 31/6/10/10, 1st Jan. 1978. Scientific Coordinating Committee, New Zealand Forest Service (unpublished copies). FRI file with maps now kept at Landcare Research, Hamilton. 9 p. Maps.
- New Zealand Forest Service 1980: Inspection of Ecological Area proposals in Mamaku-Rotorua Area, Scientific Co-ordinating Committee. 6-10 February 1978. New Zealand Forest Service, Rotorua. 9 p. plus map.
- New Zealand Forest Service 1981: Tramping and walking tracks in the Kaimai/Mamaku State Forest Park. New Zealand Forest Service, Rotorua. 31 p. plus maps.
- New Zealand Forest Service 1982: Draft revision of the Kaimai- Mamaku State Forest Park Management Plan, 1982-1992. New Zealand Forest Service, Rotorua. 49 p. plus folding maps, references and 7 appendices.
- New Zealand Forest Service 1983a: Analysis of submissions on Kaimai-Mamaku State Forest Park draft management plan, 1982-1992. New Zealand Forest Service, Rotorua. Unpaginated (54 sheets).



- New Zealand Forest Service 1983b: A guide to Kaimai-Mamaku Forest Park. Map, scale 1:50 000. New Zealand Forest Service, Rotorua. Text and colour painting on back.
- New Zealand Forest Service 1983c: Kaimai - Mamaku Forest Park. Submissions on draft Management Plan revision 1983. New Zealand Forest Service, Rotorua. Unpaginated (160 p.).
- New Zealand Forest Service 1983d: Kaimai-Mamaku State Forest Park draft management plan, 1982-1992. Part 2. Selected submissions in full. New Zealand Forest Service, Wellington. Unpaginated (73 sheets).
- New Zealand Herald 2002a: Native duck at risk of extinction. *The New Zealand Herald*, 10 October 2002.
- New Zealand Herald 2002b: Row as rare State-owned forest put up for sale. *The New Zealand Herald*, 16 October 2002.
- New Zealand Herald 2004: Kokako numbers up in Kaimai- Mamaku Forest Park. *The New Zealand Herald*, 28 May 2004.
- New Zealand Wildlife Service 1983: Protected areas review— Kaimai-Mamaku State Forest Park and adjoining ecological districts—wildlife habitat data. New Zealand Wildlife Service, Department of Internal Affairs, Wellington.
- Nicholls J.L. 1965a: Ecological survey of New Zealand's indigenous forests. Mapping series 5, sheet N66: Matamata. Forest Research Institute, New Zealand Forest Service, Government Printer, Wellington.
- Nicholls J.L. 1965b: Ecological survey of New Zealand's indigenous forests. Mapping series 5, sheet N67: Te Puke. Forest Research Institute, New Zealand Forest Service, Government Printer, Wellington.
- Nicholls J.L. 1966a: Forest type map of New Zealand Series 2. 1:63,360. Map sheet N66: Matamata. Forest Research Institute, New Zealand Forest Service.
- Nicholls J.L. 1966b: Forest type map of New Zealand Series 2. 1:63,360. Map sheet N76: Rotorua. Forest Research Institute, New Zealand Forest Service.
- Nicholls J.L. 1967a: Forest type map of New Zealand Series 2. 1:63,360. Map sheet N58: Tauranga. Forest Research Institute, New Zealand Forest Service.
- Nicholls J.L. 1967b: Forest type map of New Zealand Series 2. 1:63,360. Map sheet N67: Te Puke. Forest Research Institute, New Zealand Forest Service.
- Nicholls J.L. 1968: Forest types and Scenic Reserves. South Auckland Land District. *Unpublished report*. (Held on File 31/6, Forest Research Institute, Rotorua.) 18 pp.
- Nicholls J.L. 1969: Forest types of proposed sanctuary in Katikati State Forest. *Unpublished Report*. Forest Research Institute, Rotorua. 3 pp.

- Nicholls J.L. 1971a: Ecological survey of New Zealand's indigenous forests. Mapping series 6, sheet 3: Coromandel. Forest Research Institute, New Zealand Forest Service, Government Printer, Wellington.
- Nicholls J.L. 1971b. Explanatory notes to Coromandel Forest Class Map, Forest Service Mapping Series 6, Sheet No. 3. In: *New Zealand Forest Service Mapping Series 6 Digital Data and Combined Explanatory Notes*. Compiled by A. Dunningham.
- Nicholls J.L. 1972: Proposed forest sanctuaries: Kaimai-Mamaku. *Unpublished Report*. Forest Research Institute, Rotorua. 3 pp.
- Nicholls J. L. 1974a. Explanatory notes to Rotorua Forest Class Map, Forest Service Mapping Series 6, Sheet No. 5. In: *New Zealand Forest Service Mapping Series 6 Digital Data and Combined Explanatory Notes*. Compiled by A. Dunningham.
- Nicholls J.L. 1974b: Proposed Kaimai-Mamaku Forest Park. Areas of scientific importance and their conservation. Forest Research Institute, Rotorua. *Unpublished report*. 6 pp. Copy held on File 31/6.
- Nicholls J.L. 1975: Ecological survey of New Zealand's indigenous forests. Mapping series 6, sheet 5: Rotorua. Forest Research Institute, New Zealand Forest Service, Government Printer, Wellington.
- Nicholls J.L. 1976a: A revised classification of the North Island indigenous forests. *New Zealand Journal of Forestry* 21(1): 105-32.
- Nicholls J.L. 1976b: Proposed Opuiaki Biological Area. Forest Research Institute, Rotorua. Copy on File 31/6. 2 pp.
- Nicholls J.L. 1978: New Zealand Forest Service Ecological Area Proposals in the Mamaku-Rotorua area. *Unpublished report*. Forest Research Institute, Rotorua. Copy on File 31/6.
- Nicholls J.L. 1980: The past and present extent of New Zealand's indigenous forests. *Environmental Conservation* 7(4): 309-310.
- Nicholls J.L. 1983a: Forest Service Scientific Reserves Advisory Committee. "Advance information for Tauranga Meeting, November 1983". *Unpublished report*. 10 pp. Forest Research Institute, Rotorua. Copy held on File 31/6.
- Nicholls J.L. 1983b: Kaimai-Mamaku SFP Reserve recommendations. Forest Research Institute, Rotorua. Copy held on File 31/6.
- Nicholls J.L. 1983c: Ngatukituki Sanctuary: Forest Types. Letter to P. Nieuwland. Forest Research Institute, Rotorua. Copy held on File 31/6.
- Nicholls J.L. 1984: Proposed Waipari Ecological Area. Unpublished Letter (31/6) to Conservator, Rotorua Forests, New Zealand Forest Service. 15 February 1984, Production Forestry Division, Forest Research Institute, Rotorua.

- Nicholls J.L. 1985a: Forest types of northern half of Kaimai-Mamaku State Forest Park and adjoining or enclosed scenic reserves and Maori Land. Descriptions and map. *Unpublished*. Copy held on File 31/6. Forest Research Institute, Ministry of Forestry, Rotorua.
- Nicholls J.L. 1985b: Rapurapu trip: advance notes. *Rotorua Botanical Society Newsletter 4*: 29-30.
- Nicholls J.L. 1988: Wairakau Scenic Reserve Field Trip. *Rotorua Botanical Society Newsletter 14*: 12-14
- Nicholls J.L. 1989: Mangorewa Field Trip. *Rotorua Botanical Society Newsletter 17*: 7-8.
- Nicholls J.L. 2002: History of the vegetation. pp 82-90. In Clarkson B.D.; Merret, M.; Downs, T. (comp.) *Botany of the Waikato*. Waikato Botanical Society.
- NIWA 2008b: Climate summaries. National Institute of Water and Atmospheric Research. <http://www.niwascience.co.nz/edu/resources/climate/summary> Accessed May 2008.
- NIWA 2009: Freshwater fish database. National Institute of Water and Atmospheric Research, Hamilton.
- Nordenstam, B. 1978. *Opera Botanica 44*: 1-84
- Noss R.F. 1990: Indicators for monitoring biodiversity: a hierarchical approach. *Conservation Biology 4*(4): 355-364.
- O'Connell B. 1999: A baseline study of *Paryphanta busbyi* in Kaimai Ranges Region. Tauranga Area Office, Department of Conservation, Tauranga (unpublished). 20 p. with illustrations, plus 16 references.
- O'Donnell C.F.J.; Dilks P.J. 1988: Mapping the distribution of forest birds. *Science and Research Series No. 1*. Department of Conservation, Wellington. 15 pp.
- O'Donnell C.F.J. 1996: Predators and the decline of New Zealand forest birds: an introduction to the hole-nesting bird and predator programme. *New Zealand Journal of Zoology 23*: 213-219.
- OECD 1997: OECD environmental performance reviews: a practical introduction. *OECD, Paris*. 60 pp.
- Oliver W.R.B. 1929: A revision of the genus *Dracophyllum*. *Transcriptions and Proceedings of the New Zealand Institute 59*: 678-714
- Orbell G.E. 1974: Soils of the Waikato Coromandel King Country Region. *National Resources Survey Part VIII*. Ministry of Works, Wellington.
- Orchard A.E. 1979: *Myriophyllum* (Haloragaceae) in Australasia. 1. New Zealand: a revision of the genus and a synopsis of the family. *Brunonia 2*: 248-87
- OSNZ 2006: Classified, summarised notes, BOP/Volcanic Plateau, 1 July 2003 - 30 June 2006. Ornithological Society of New Zealand (OSNZ).

- Otanewainuku Kiwi Trust 2007: *Newsletter Number 11*. Winter 2007.
- Owen K.L. 1991a: A survey of North Island Kiwi (*Apteryx australis*) in the Bay of Plenty Region. *Unpublished report*. Department of Conservation, Rotorua.
- Owen K.L. 1991b: A Survey of Stag Beetle (*Dorcus Auriculatus*) on Mt. Te Aroha. *Technical Report Series No. 8*. Department of Conservation. Copy held in Tauranga AO Library.
- Owen K.L. 1993: A survey of North Island brown kiwi (*Apteryx australis*) in the Bay of Plenty Region. Unpublished report, Department of Conservation, Rotorua. 5 pp. plus maps.
- Owen K.L. 1999: Bird survey of the Opuiaki Ecological Area and adjoining Kaimai-Mamaku Forest Park, Bay of Plenty 1975. Unpublished report, Department of Conservation, Bay of Plenty Conservancy, Rotorua. 12 pp. plus maps.
- Owen K. 2005: Bat survey and management in the Bay of Plenty Conservancy, 1996-2006. Unpublished internal report NHS 04/01, DOCDM-252422. Department of Conservation, Rotorua. 6 p.
- Owen K. 2006: Personal communication. Department of Conservation: Rotorua.
- Owen S.J. 1998. Department of Conservation Strategic Plan for Managing Invasive Weeds. Department of Conservation, Wellington. 86 pp.
- Pardy G.F. 1983a: Performance of podocarps planted in reverted cutover forest, SF3. Part 1. Hand-cleared gaps. *Project Record 254-1*. Forest Research Institute, Rotorua (unpublished). 32 p. plus 16 tables in appendices and location plans.
- Pardy G.F. 1983b: Performance of podocarps planted in reverted cutover forest, Mamaku, SF3. Part 2. Tractor-cleared lanes. *Project Record 254-2*. Forest Research Institute, Rotorua (unpublished). 7 p. plus tables and graphs.
- Pardy G.F. 1983c: Performance of podocarps planted in reverted cutover forest, SF3. Part 3. Tractor cleared gaps. *Project Record 255*. Forest Research Institute, Rotorua (unpublished).
- Pardy G.F. 1983d: Performance of podocarps planted in reverted cutover forest, SF3. Part 4. Totara planted in hand cleared gaps, 1959. *Project Record 255*. Forest Research Institute, Rotorua (unpublished). 16 p. plus tallies and graphs.
- Pardy G.F.; Steward, G.A. 1989: Performance of planted and natural tawa and natural miro seedlings in gaps in reverted cutover forest. *Project Record 2373*. Northern Wildlands Research Field, Forest Research Institute, Rotorua (unpublished). 8 p.
- Pardy G.; Cashmore P.; Owen, K.; Griffiths R. 1999: Conservation and research values of three Mamaku Plateau Forest Research Limited experimental blocks. *OLDDM-269130*. Department of Conservation, Bay of Plenty Conservancy, Rotorua.
- Park G. 1998: Ecological integrity: a key theme for state of the environment reporting in New Zealand. *EPI Programme Technical Report 49*. Ministry for the Environment.



- Park S. 2003: Marine sediment and contaminants survey (2001-03) of Tauranga Harbour. *Environmental publication 2003/20*. Environment Bay of Plenty: Whakatane.
- Park S. 2004: Aspects of mangrove distribution and abundance in Tauranga Harbour. *Environmental Publication 2004/16*. Environment Bay of Plenty: Whakatane.
- Parliamentary Commissioner for the Environment 2004. Growing for good. Intensive farming, sustainability and New Zealand's environment. Parliamentary Commissioner for the Environment, Wellington.
- Parliamentary Office of Science and Technology 2007. Ecosystem services. Postnote(281): 1-4.
- Parshotam A.; Hume T.; Elliott S.; Green M., and Wadhwa S. 2008: Tauranga Harbour Sediment Study: Specification of Scenarios. *NIWA Client Report HAM2008-117*, prepared for Environment Bay of Plenty, August 2008. 14 p.
- Parshotam A.; Wadhwa S., and Mullan B. 2009: Tauranga Harbour Sediment Study: Sediment Load Model Implementation and Validation. *NIWA Client Report HAM2009-007*, prepared for Environment Bay of Plenty, March 2009. 103 p.
- Patterson M., Cole A. 1998. The economic value of ecosystem services in the Waikato Region. Massey University, Palmerston North. *Report prepared for Environment Waikato*.
- Patton D.R. 1975: A diversity index for quantifying habitat edge. *Wildlife Society Bulletin 3*: 171-173.
- Penman J.T. 1988: Volume, taper, and bark thickness in seedlings and cuttings from Mamaku Forest, New Zealand. *New Zealand Journal of Forestry Science 18*(3): 311-317. Includes 11 references and 5 tables.
- Pierce R.J. 2002: Distribution of North Island brown kiwi in the Bay of Plenty Region. *Wildland Consultants Ltd Contract Report No. 528*. Prepared for Environment BOP. 9 pp.
- Pike D., 1991: Watching our wetlands vanish. *Terra Nova New Zealand*. September 1991, 21-24.
- Poole A.L. 1957: The distribution of beech forests. *Proceedings of the NZ Ecological Society 4*: 10-11
- Pracy L.T.; Vipond H.; Purdon K.; Jane G.; Perry A. 1975: Field survey: Kaimai Ranges. Definition of animal control priorities. Agricultural Pest Destruction Council. *Unpublished report*. 23 p.
- Pritchard G.G. 1957: Experimental taxonomic studies on species of *Cardamine* Linn. in New Zealand. *Transcriptions and Proceedings of the Royal Society of New Zealand 85*: 75-89

- Pritchard M. and Gorman R. 2009: Tauranga Harbour Sediment Study, Hydrodynamics and Sediment Transport Modelling. NIWA Client Report HAM2009-032, prepared for Environment Bay of Plenty, February 2009. 54 p.
- Pullar W.A.; Rijkse W.C. 1974: Cover deposits and soil report on Mangatotara State Forest and Whakamarama Crown Land Block. *Unpublished Soil Survey Report*. New Zealand Department of Scientific and Industrial Research.
- Quayle A.M. 1984: The climate and weather of the Bay of Plenty Region. *New Zealand Meteorological Service Miscellaneous Publication 115(1) 2<sup>nd</sup> Edition*. Ministry of Transport, Wellington. 56 pp.
- Quinn J.M. 1999: Towards a riparian zone classification for the Piako and Waihou River catchments. *Environment Waikato Technical Report TR99/16*.
- Ramsay G.W., Meads M.J., Sherley G.H. and Gibbs G.W. 1988: Research on terrestrial insects of New Zealand. Wildlife Research Liaison Group, *Research Review No. 10*. 49 pp.
- Rasch G. 1989: Wildlife and wildlife habitat in the Bay of Plenty Region. *Regional Report Series No.11*. Department of Conservation, Rotorua. 136 pp + map.
- Rasch G. 1992: Recovery Plan for North Island kokako. *Threatened Species Recovery Plan 1*. Department of Conservation, Wellington. 40 pp.
- Raven P.H.; Raven T.E. 1976: The genus *Epilobium* (Onagraceae) in Australasia: a systematic and evolutionary study. *NZ DSIR Bulletin 216*. 321 pp.
- Regnier C.E. 1987: Coromandel Ecological Region Protected Natural Areas Programme Phase 1. Biological Resources Centre, Department of Conservation, Wellington. 247 pp.
- Richards F. 2007: Assessment of ecological effects for possum and rat control in the Opuiaki Ecological Area. Department of Conservation, Tauranga.
- Rijkse W.C. 1979: Soils of Rotorua Lakes District, North Island, NZ. New Zealand Soil Survey Report No. 43. New Zealand Soil Bureau, Department of Scientific and Industrial Research, Wellington. 43 p. plus 44 p. appendix and folding map.
- Rijkse W.C. and Cotching W.E. 1995: Soils and land use of part Tauranga County, North Island, New Zealand. *Landcare Research N.Z. Ltd Technical Record*. 111 pp and map.
- Robertson C.J.R., Hyvönen P., Fraser M.J., and Pickard C.R. 2007: Atlas of bird distribution in New Zealand 1999-2004. The Ornithological Society of New Zealand, Inc. Wellington.
- Ruscoe W.; Cave S.; Sweetapple P.; Pech R.; Barron M.; Yockney I.; Perry M.; Carran R.; Brausch C.; Jones C.; Ramsey D. 2007: Multiple Pest Dynamics Project. *Unpublished report*. Manaaki Whenua Landcare Research, Lincoln.





- Ruscoe W.; Cave S.; Sweetapple P.; Pech R.; Barron M.; Yockney I.; Perry M.; Carran R.; Brausch C.; Jones C.; Ramsey D. 2008: Multiple Pest Dynamics Project - Research Update. *Unpublished report*. Manaaki Whenua Landcare Research, Lincoln.
- Ruscoe W.; Cave S.; Sweetapple P.; Pech R.; Barron M.; Yockney I.; Perry M.; Carran R.; Brausch C.; Jones C.; Ramsey D. 2009: Multiple Pest Dynamics Project Research Update: July 2009. *Unpublished report*. Manaaki Whenua Landcare Research, Lincoln. 20 p.
- Rutledge D. 2003: Landscape indices as measures of the effects of fragmentation: can pattern reflect process? *DOC Science Internal Series 98*. Department of Conservation, Wellington.
- Saunders A.J. 1983: Wildlife and wildlife habitat values of the Mamaku Plateau - an overview. *Fauna Survey Unit Report No. 37*. New Zealand Wildlife Service, Wellington. 57 pp.
- Schofield V.C. 1967: Geological Map of New Zealand, 1:250 000. Sheet 3, Auckland. New Zealand Department of Scientific and Industrial Research, Government Printer, Wellington.
- Scholes P. and McIntosh J. 2009: Water quality of Bay of Plenty rivers 1989-2008. *Environment Bay of Plenty*. Environmental Publication 2009/11. 79 pp.
- Shaw W.B. 1990a. Vivian-Walters property, Katikati. *Unpublished report*. Department of Conservation, Rotorua. 2 pp.
- Shaw W.B. 1990b. Smith property, Woodlands Road, Kaimai foothills. *Unpublished report*. Department of Conservation, Rotorua. 4 pp.
- Shaw W.B. 1990c. Archer property, Kaimai summit. *Unpublished report*. Department of Conservation, Rotorua. 3 pp.
- Shaw W.B. 1991: Lowry property, Kaimai foothills. *Unpublished report*. Department of Conservation, Rotorua. 4 pp.
- Shaw W.B. 1993: Northern rata dieback, Kaimai Range - aerial assessment. *Unpublished report*. Department of Conservation.
- Shaw W.B. 1994: Botanical rankings for nature conservation. *Science and Research Series No. 72*. Department of Conservation, Wellington. 17 pp.
- Shaw W. B. 1995: Proposed Western Bay of Plenty District Plan. Chapter II: Natural Environment. Evidence on Behalf of the Minister of Conservation for District Council Hearing on 27 June 1995. Department of Conservation, Rotorua. 5 pp plus Appendices.
- Shaw W.B. 1997a: Rural subdivision and natural heritage protection in the Western Bay of Plenty District. *Wildland Consultants Ltd Contract Report No. 171*. 46 pp.
- Shaw W.B. 1997b: *Spartina* conference. *Conservation Science Newsletter 26: 3*.

- Shaw W.B. 1998a: Management of the margins of lakes, freshwater wetlands and estuarine margins in New Zealand. *Wildland Consultants Ltd Contract Report No. 219*.
- Shaw W.B. 1998b: Vegetation of the Shirley Property, Te Puna. *Wildland Consultants Ltd Contract Report No. 229*. 9 pp.
- Shaw W.B. 1998c: Tauranga strategic roading - Northern Arterial Proposal. *Wildland Consultants Ltd Contract Report No. 225*. 8 pp.
- Shaw W.B. 1998d: Tauranga strategic roading - Route J proposal. *Wildland Consultants Ltd Contract Report No. 227*. 5 pp.
- Shaw W.B. 1998e: Tauranga strategic roading - Route K proposal. *Wildland Consultants Ltd Contract Report No. 226*. 8 pp.
- Shaw W.B. 1999: Ecological notes on Forest Research Experimental Block on the Mamaku Plateau. *Wildland Consultants Ltd Contract Report No. 299a*. 2 pp.
- Shaw W.B. and Beadel S.M. 1997: Natural heritage of Tauranga District. A preliminary synthesis. *Wildland Consultants Ltd Contract Report No. 172*. 20 pp.
- Shaw W.B. and Beadel S.M. 1998: Natural heritage of the Rotorua District. *Wildland Consultants Ltd Contract Report No. 176*. Prepared for Rotorua District Council. 657 pp.
- Shaw W.B. and Beadel S.M. 1999: Bay of Plenty region natural heritage information. *Wildland Consultants Ltd Contract Report No. 237*. Part 1 - Overview and Future Directions - 67 pp; Part 2 - Review - 213 pp.
- Shaw W.B. and Gosling D.S. 1997: *Spartina* ecology, control and eradication - recent New Zealand experience. Pp 32-38 in Proceedings of Second International *Spartina* Conference. Washington State University, Long Beach, Washington, USA. 106 pp.
- Shaw W.B. and Kusabs I.A. 2000: Ecological assessment of roading options at Omokoroa, Tauranga. *Wildland Consultants Ltd Contract Report No. 354*. Report prepared for Beca Carter Hollings and Ferner, Tauranga. 19 pp plus maps.
- Shaw W.B.; Milligan G. 1998: Lagoon Road field trip and herbarium visit. *Rotorua Botanical Society 31*: 8-11.
- Shaw W.B., Owen K., Farmer A. and Beadel S.M. 1990: Bay of Plenty Conservancy priorities for goat and possum control 1990-1991. *Unpublished report*. Department of Conservation, Rotorua. 20 pp.
- Shaw W.B.; Perfect A.J. and Beadel S.M. 1999: Survey and monitoring priorities for the Tauranga Area, Department of Conservation. *Wildland Consultants Contract Report No. 273*. Vol 1 (text) - 45 pp. Vol 2 (appendices) - 472 pp.
- Sherley G.H., Hayes I.M. 1993: The conservation of a giant weta (*Deinacrida* n. sp. Orthoptera: Stenopelmatidae) at Mahoenui, King Country: Habitat use, and other aspects of its ecology. *New Zealand Entomologist 16*: 55-68.

- Sherley G. *et al.* 1994: Distribution, conservation status, and some features of the natural history of *Dorcus* stag beetles (Coleoptera: Lucanidae). *Science and Research Series No. 75*. Department of Conservation, Wellington. Copy held in Tauranga AO Library.
- Simpson P. 1992: Sustaining genetic integrity through restoration using local plant provenances. International Conference on Sustainable Land Management, Napier, New Zealand. November 18-22, 1991. Proceeding pp. 336-342. Hawkes Bay Regional Council 1992.
- Simpson P. 1996: The consequences of human settlement. pp 57-67 In McFadgen B. and Simpson P. (compilers). Biodiversity. Papers from a seminar series on biodiversity. Department of Conservation, Wellington. 181 pp.
- Slimin M. 2009: Otanewainuku Conservation Area Forest Canopy Response to Historic Possum (*Trichosurus vulpecula*) Control. Western Bay of Plenty District Council.
- Smale M.C. 1981: Growth and mortality of tawa in virgin and logged forest, Mamaku Plateau. *Production Forestry Division Indigenous Forest Management Report No. 32*. Forest Research Institute, Rotorua (unpublished).
- Smale M.C. 1985: Rapurapu field trip. *Rotorua Botanical Society Newsletter 5*: 22.
- Smale M.C. 1986: The indigenous vascular flora of the Mamaku Plateau: *The Rotorua Botanical Society Newsletter No. 8*: 40-42.
- Smale M.C. 1986: Te Hunga Ridge Trip. *The Rotorua Botanical Society Newsletter No. 11*: 21-22.
- Smale M.C. 1997: Susceptibility of indigenous vegetation classes in the Waikato Region to damage by brush-tailed possums. Landcare Research contract report for Environment Waikato, Hamilton.
- Smale M.C.; Burns B.R.; Smale P.N.; Whaley P.T. 1997: Dynamics of upland podocarp/broadleaved forest on Mamaku Plateau, central North Island, New Zealand. *Journal of the Royal Society of New Zealand 27(4)*: 513-532
- SmartGrowth 2007: The Western Bay of Plenty sub-region, 50-year strategy and implementation plan. Tauranga City Council, Western Bay of Plenty District Council & Environment Bay of Plenty, Tauranga: 265 pp.
- Smuts-Kennedy J.C. 2003: A survey for Hochstetter's frogs on Conservation land in the Kaimai Range. Contract report prepared for Northern Region Frog Project, Department of Conservation, Hamilton. 15 pp plus appendices.
- Snelder T., Biggs B., Weatherhead M. 2004. New Zealand River Environment Classification User Guide. Ministry for the Environment and Niwa: 161 pp.
- Soil Bureau 1954: Sheet 3. General survey of the soils of North Island, New Zealand 1:250 000. *Soil Bureau Bulletin No. 5*. DSIR, Wellington.



- Soons J.M, Selby M.J. (Editors) 1982: Landforms of New Zealand. Longman Paul Limited, Auckland.
- Soule M.E. and Gilpin M.E. 1991: The Theory of Wildlife Corridor Capability. Pages 3-8 in D.A. Saunders and R.J. Hobbs, editors. *Nature Conservation 2: The role of corridors*. Surrey Beatty and Sons, Chipping Norton, Australia.
- Speirs D. 2001: The diversity and distribution of freshwater fish and their habitat in the major rivers of the Waikato Region. *Environment Waikato Technical Report 2001/11*. Hamilton.
- Spurr E.B. 1993: Feeding by captive rare birds on baits used in poisoning operations for control of brushtail possums. *New Zealand Journal of Ecology* 17: 13-18.
- Stafford D.M. 1967: Te Arawa. A History of the Arawa People. Reed. 573 pp.
- Standish R.J., Robertson A.W., Williams P.A. 2001: The impact of an invasive weed *Tradescantia fluminensis* on native forest regeneration. *Journal of Applied Ecology* 38: 1253-1263.
- Statistics New Zealand 2006: QuickStats About Tauranga City Statistics New Zealand Accessed: 2009 (<http://www.stats.govt.nz/census/census-outputs/quickstats/snapshotplace2.htm?id=2000023&type=ta&ParentID=1000004>)
- Steward G.A. 1986a: Growth of planted hinau (*Elaeocarpus dentatus*) on the Mamaku Plateau. *Project Record 1223*. Forest Research Institute, Rotorua (unpublished). 10 p. plus 7 references.
- Steward G.A.; Klomp, B.K. 1988: Management plan for Mamaku Research Forest 1988-1992. Ministry of Forestry, Forest Research Institute, Rotorua (unpublished). 21 p. plus maps and references.
- Stewart G.H. and Rose A.B. 1988: Factors predisposing rata - kamahi (*Metrosideros umbellata* - *Weinmannia racemosa*) forests to canopy dieback, Westland, New Zealand. *Geojournal* 17: 217-233.
- Stokes E. 1980: A History of Tauranga County. Dunmore Press Limited, Palmerston North. 489 pp.
- Summers C. 1999: Otanewainuku Conservation Pest Control 1999: A post-operation report on a pest control operation using 1080 and Talon® in bait stations. *Unpublished report*. Department of Conservation, Tauranga.
- Surman M., Clarke R., and Carter M. 1999: Tauranga Harbour sediment source survey. *Environment Bay of Plenty Operations Report 98/13*. 141 pp.
- Tauranga City Council 2005: State of the Environment Survey - Research Report. Contract report prepared by Key Research and Marketing Ltd for Tauranga City Council, May 2005.

- Tauranga City Council 2007 Strong sustainable economy Tauranga City Council Accessed: 2009 (<http://www.taurangatomorrow.org.nz/how-we-measure/strong-sustainable-economy.aspx>)
- Tauranga City Council 2009 Catchments and Intakes Tauranga City Council Accessed: 2009 ([http://www.tauranga.govt.nz/water/water-supply/learn-about-it/tabid/657/qid/1586/tctl/1455\\_ViewQuestion/Default.aspx](http://www.tauranga.govt.nz/water/water-supply/learn-about-it/tabid/657/qid/1586/tctl/1455_ViewQuestion/Default.aspx))
- Tauranga District Council 2003: Website: <http://www.tauranga.govt.nz/>. Website accessed September, 2003.
- Taylor G. 1984: Observations on the biology of two butterfly species (Lepidoptera) in forests of the Mamaku Plateau, North Island, New Zealand. *Mauri Ora 11*: 51-55.
- Taylor G.A. 1985: The effects of logging on forest bird communities on the Mamaku Plateau. Unpublished MSc thesis, University of Canterbury, Christchurch. 314 pp. plus maps.
- Taylor G.; Calder B. 1983: Rotorua survey shows that kiwis favour unmodified forest. *Forest and Bird 229*: 24-34.
- Taylor J.R., Park S.G. 2001: Natural Environment Regional Monitoring Network: Bay of Plenty rivers' water quality (1989-2000). *Environmental Report 2001/12*. Environment Bay of Plenty.
- Terralink 1996: Land Cover Database Version One. Terralink International, Wellington.
- Terralink 2004: Land Cover Database Version Two. Terralink International, Wellington.
- Tilman D., May R.M., Lehman C.L., Nowak M.A. 1994: Habitat destruction and the extinction debt. *Nature 371*: 65-66.
- Timmins S., Wassilieff, 1984: The effects of planting programmes on natural distribution and genetics of native plant species. *The Landscape*, April 1984: 18-20.
- Thomas B.W. and Whitaker A.H. 1995: Translocation of the Fiordland skink *Leiopisma acrinasum* to Hawea Island, Breaksea Sound, Fiordland, New Zealand. In: Serena M. (ed) Reintroduction Biology of Australian and New Zealand fauna, pp 91-95. Surrey Beatty and Sons, Chipping Norton.
- Thyne C. 2006: Opuiaki Ecological Area kokako nest monitoring and survey. November 2005 - March 2006. Prepared for Department of Conservation Tauranga Area Office.
- Toft R.J., Harris R.J., Williams P.A. 2001: Impacts of the weed *Tradescantia fluminensis* on insect communities in fragmented forests in New Zealand. *Biological Conservation 102*: 31-46.
- Town and Country Planning Branch, Ministry of Works 1962: National resources survey, Part 2. Bay of Plenty Region. R.E. Owen, Government Printer, Wellington.
- Towns D.R., Atkinson I.A.E., Daugherty C.H. 2006: Have the harmful effects of introduced rats on islands been exaggerated? *Biological Invasions 8*: 863-891

- Wallace S.W. (Lead Comp.) 1985: Indigenous vascular flora of Opuiaki Ecological Area, Kaimai-Mamaku State Forest Park, 390-460m. Unpublished report held on file at Bay of Plenty Conservancy Office, Department of Conservation, Rotorua. 2 p.
- Wallace S.W. 1986: A new northern limit for *Gahnia rigida*. *Rotorua Botanical Society Newsletter 1*: 12-13.
- Wallace S.W. 1988: Distribution and status of the North Island Kokako in the Eastern Region, a review. *Technical Report Series No. 5*. Department of Conservation, Eastern Region. Rotorua.
- Wallace S.W. 1994: Wetlands between Roy Road, Te Pu and Galaxy Road North on the Mamaku Plateau. Unpublished notes held at Bay of Plenty Conservancy Office, Department of Conservation, Rotorua. 10 p.
- Walker S., Brower A.L., Clarkson B.D., Lee W.G., Myers S.C., Shaw W.B., Stephens R.T.T. 2008: Halting indigenous biodiversity decline: ambiguity, equity and outcomes in RMA assessment of significance. *New Zealand Journal of Ecology*. In press.
- Walker S., Price R., Rutledge D., Stephens R.T. and Lee W.G. 2006: Recent loss of indigenous cover in New Zealand. *New Zealand Journal of Ecology* 30(2): 169-177.
- Ward J. and Lambie J. 1999a: Co-ordinated monitoring of New Zealand's wetlands. Report on Workshop 2. UNEP/GRID - Christchurch.
- Ward J.C. and Lambie J.S. 1999b: Monitoring changes in wetland extent: an environmental performance indicator for wetlands. Lincoln Environmental; prepared for Ministry for the Environment 37 pp.
- Wards I. (ed) 1976: New Zealand Atlas. Government Printer, Wellington. 292 pp.
- Watt J.C. 1982: New Zealand beetles. *New Zealand Entomologist* 7(3): 213 - 221.
- Watt J.C. 1979: A record of *Mecodema atrox* (Coleoptera: Carabidae). *The Weta* 3: 7.
- Watton G. 2006: The flood of all floods. *Ohinemuri Regional History Journal* 50: September 2006
- Western Bay of Plenty District Council 2009: <http://www.westernbay.govt.nz/Your-district/Population-and-Statistics/>
- Western Bay of Plenty District Plan (WBOP District Plan) 2008: Western Bay of Plenty District Council GIS layers, April 2008.
- Whitaker A.H. 1973. Lizard populations on islands with and without Polynesian rats, *Rattus exulans* (Peale). *Proceedings of the New Zealand Ecological Society* 20: 115-20.
- Whitaker A.H. 1993: The striped skink (*Leiopelma striatum* (Buller 1871)): a review with recommendations for conservation and management. Unpublished report, Wanganui Conservancy, New Zealand Department of Conservation. Wanganui iv + 84 pp.

- Whitaker A.H.; Alspach, P.A. 1999: Monitoring of Hochstetter's frog (*Hoplodactylus stephensi*) populations near Golden Cross Mine, Waitekauri Valley, Coromandel. *Science for conservation* 130. 36 pp.
- Whitaker T. 2000: Herpetofauna of Opuiaki Ecological Area, northern Mamaku Plateau. Unpublished report. Tauranga Area Office. Department of Conservation. 19 pp.
- Wildland Consultants 2000a: Bird survey of the Opuiaki Ecological Area, Mamaku Plateau, Central North Island, New Zealand - *Wildland Consultants Contract Report No. 328*. Prepared for Department of Conservation. 42 pp plus 14 maps.
- Wildland Consultants 2000b: Indigenous biodiversity of Tauranga District - indicators for State of the Environment monitoring and reporting. *Wildland Consultants Ltd Contract Report No. 287*. Prepared for Tauranga District Council.
- Wildland Consultants 2000c: Biodiversity monitoring for Tauranga District 2000 - Category 1 Significant Ecological Sites - Ecological Condition and photopoint monitoring. *Wildland Consultants Ltd Contract Report No. 315*. Prepared for Tauranga District Council.
- Wildland Consultants 2000d: Indigenous biodiversity of Tauranga District - Monitoring Manual. *Wildland Consultants Ltd Contract Report No. 329*. Prepared for Tauranga District Council.
- Wildland Consultants 2000e: Indigenous biodiversity of Tauranga District - monitoring and indicators for state of the environment reporting. *Wildland Consultants Ltd Contract Report No. 309*. Prepared for Tauranga District Council.
- Wildland Consultants 2000f: Ecological assessment of a proposed realignment of State Highway 5 on the Mamaku Plateau. *Wildland Consultants Ltd Contract Report No. 332*. Prepared for Worley Consultants Ltd.
- Wildland Consultants 2000g: Sand dune vegetation of Tauranga District. *Wildland Consultants Ltd Contract Report No. 319*. Prepared for Tauranga District Council. 16 pp.
- Wildland Consultants 2000h: Ecological assessment of roading options at Omokoroa, Tauranga. *Wildland Consultants Ltd Contract Report No. 354*. 27 pp.
- Wildland Consultants 2001a: Review of ecological aspects of options for further subdivision at Park Road, on the Katikati Peninsula. *Wildland Consultants Ltd Contract Report No. 419*. Report prepared for Western Bay of Plenty District Council. 20 pp.
- Wildland Consultants 2001b: Ecological assessment of a proposed urban growth area at Waihi Beach. *Wildland Consultants Ltd Contract Report No. 389*. Prepared for Western Bay of Plenty District Council. 44 pp.
- Wildland Consultants 2001c: Privately owned natural areas worthy of protection in the Bay of Plenty (BOP) Region. *Wildland Consultants Ltd Contract Report No. 370*. 16 pp.



- Wildland Consultants 2002a: Biodiversity monitoring for Tauranga District 2002 - Category 1 Significant Ecological Sites, ecological condition assessment and photopoint monitoring. *Wildland Consultants Limited Contract Report Number 483*, prepared for Tauranga City Council.
- Wildland Consultants 2002b: Review of Environment Bay of Plenty wetland database. *Wildland Consultants Ltd Contract Report No. 512*. Prepared for Environment Bay of Plenty.
- Wildland Consultants 2002c: Tauranga Museum proposed natural history themes. *Wildland Consultants Ltd Contract Report No. 659*. Prepared for Tauranga District Council. 45 pp..
- Wildland Consultants 2002d: A survey of Hochstetter's frogs in the Otawa and Otanewainuku forests. *Wildland Consultants Ltd Contract Report No. 516*. Prepared for Department of Conservation, Tauranga. 30 pp.
- Wildland Consultants 2003a: Ecological constraints to development in the Western Bay of Plenty. *Wildland Consultants Ltd Contract Report No. 555*. Prepared for SmartGrowth, Tauranga. 19 pp.
- Wildland Consultants 2003b: Tauranga Ecological District Phase 1 Protected Natural Areas Programme Report. *Wildland Consultants Ltd Contract Report No. 751*. Prepared for Environment Bay of Plenty. 55 pp.
- Wildland Consultants 2003c: Kiwi Survey, Mamaku Plateau. May-July 2003. *Wildland Consultants Ltd Contract Report No. 706*. Prepared for Carter Holt Harvey Forests, Tokoroa. 4 pp.
- Wildland Consultants 2004a: Photopoint Monitoring for the Mount Maunganui-Papamoa dune environmental weed management programme – March 2004. *Wildland Consultants Ltd Contract Report No. 838*. Prepared for Tauranga City Council. 27 pp plus maps.
- Wildland Consultants 2004b: Foliar Browse Index Monitoring - 2003 remeasurement of Otawa Scenic Reserve - Otawa Stewardship Areas. *Wildland Consultants Ltd Contract Report No. 864*. Prepared for DOC Tauranga Area Office. 9 pp.
- Wildland Consultants 2005a: Digital mapping of geothermal vegetation in the Bay of Plenty Region - based on 1995 aerial photographs. *Wildland Consultants Ltd Contract Report No. 1056*. Prepared for Environment Bay of Plenty. 14 pp.
- Wildland Consultants 2005b: Geothermal vegetation of the Bay of Plenty Region based on the 2003 digital aerial photographs. *Wildland Consultants Ltd Contract Report No. 1072*. Prepared for Environment Bay of Plenty. 297 pp.
- Wildland Consultants 2005c: Indigenous Biodiversity of Tauranga City - State of the Environment Report 2005. *Wildland Consultants Contract Report No. 1256*. Prepared for Tauranga City Council. 110 pp plus maps.



- Wildland Consultants 2005d: A review of selected Natural Areas for potential inclusion in the Western Bay of Plenty District Plan. *Wildland Consultants Ltd Contract Report No. 856*. Report prepared for Western Bay of Plenty District Council, Tauranga. 85 pp.
- Wildland Consultants 2005e: Potential ecological effects of stormwater works on two unnamed tributaries of Tauranga Harbour near Katikati. *Wildland Consultants Ltd Contract Report No. 1012*. Prepared for Duffill Watts and King. 18 pp.
- Wildland Consultants 2005f: North Island brown kiwi survey of Omanawa Forest - July 2005. *Wildland Consultants Ltd Contract Report No. 1140*. Prepared for P.F. Olsen & Co. Ltd. 6 pp.
- Wildland Consultants 2006a: Significant indigenous vegetation and significant habitats of indigenous fauna in the coastal environment of the Bay of Plenty region. Prepared for Environment Bay of Plenty, Rotorua. *Wildland Consultants Ltd Contract Report No. 1345*: 553 pp.
- Wildland Consultants 2006b: Ecological assessment of stormwater management at Minden, Western Bay of Plenty District. *Wildland Consultants Ltd Contract Report No. 1415*. Prepared for Duffill Watts & King. 17 pp.
- Wildland Consultants 2007a: Overview of Ecological Networks and Connections in the Smartgrowth Project Area. *Wildland Consultants Contract Report No. 1404b*. Prepared for Environment Bay of Plenty.
- Wildland Consultants 2007b: Establishment of six FBI monitoring lines in the northern Mamaku canopy protection area. *Wildland Consultants Ltd Contract Report No. 1699*. 1 pp.
- Wildland Consultants 2007a: Ecological Networks and Connections in the Smartgrowth Project Area Outside of the Catchment of Tauranga Harbour. *Wildland Consultants Ltd Contract Report No. 1404a*. Prepared for Environment Bay of Plenty.
- Wildland Consultants 2007b: Ecological networks and connections in the SmartGrowth Project area outside of the catchment of Tauranga Harbour. Prepared for Environment Bay of Plenty, Tauranga, *Wildland Consultants Ltd Contract Report 1404a*: 94 pp.
- Wildland Consultants 2008a: Ecological Assessment of a proposed protection lot on the Williams property, 150 Thompsons track, Western Bay of Plenty District. *Wildland Consultants Ltd Contract Report No. 1931*. Prepared for Mr and Mrs A. Williams.
- Wildland Consultants 2008b: Biodiversity enhancement opportunities on Environment Waikato Land in the Waihou/Piako River catchments. *Wildland Consultants Contract Report No. 1874*. Prepared for Environment Waikato.
- Wildland Consultants 2008c: Natural areas in Tauranga Ecological District. *Wildland Consultants Ltd Contract Report No. 1914*. Prepared for Environment Bay of Plenty. 681 pp.



- Wildland Consultants 2008d: Indigenous biodiversity of Tauranga City - State of the Environment Reporting 2008. *Wildland Consultants Ltd Contract Report No. 2053*. Prepared for Tauranga City Council. 41 pp plus 28 aerial maps.
- Wildland Consultants 2008e: Conservation significance of DOC land parcels and corridors within the Kaimai-Tauranga catchment: gaining the best result as Tauranga grows. *Wildland Consultants Ltd Contract Report No. 1964*. Prepared for Department of Conservation, Rotorua.
- Wildland Consultants 2008f: District plan provisions relating to indigenous biodiversity in Tauranga City. Part 1: A Review of District Plan Effectiveness. *Wildland Consultants Ltd Contract Report No. 2027*. Prepared for Tauranga City Council. 31 pp.
- Wildland Consultants 2009a: Review of indigenous biodiversity indicators used for State of the Environment reporting. *Wildland Consultants Ltd Contract Report No. 2317*. Prepared for Tauranga City Council. 19 pp.
- Wildland Consultants 2009b: Indigenous biodiversity of Tauranga City - State of the Environment reporting 2008 (Updated 2009). *Wildland Consultants Ltd Contract Report No. 2300*. Prepared for Tauranga City Council. 188 pp.
- Wildland Consultants 2009: Ecological assessment for the Minden Structure Plan, Western Bay of Plenty District. *Wildland Consultants Ltd Contract Report No. 2286*. Prepared for Beca Consulting. 24 pp.
- Wildlife Service, Fauna Survey Unit, unpublished data 1982: Fauna study of Bay of Plenty and Kaimai-Mamaku Forest Park (1982). Unpublished survey data held by Department of Conservation, Rotorua.
- Williams D.S. 1991: Composition changes in four central North Island forests. *Rotorua Botanical Society Newsletter 24*: 12-20
- Williams P.A., Wiser S., Clarkson B., Stanley M. 2006: A Physical and Physiognomic Framework for Defining and Naming Originally Rare Terrestrial Ecosystems: First Approximation. Landcare Research, Lincoln, *Landcare Research Internal Report, No. LC0506/185*: 22 pp.
- Williams P., Wiser S., Clarkson B., Stanley M. 2007: New Zealand's historically rare terrestrial ecosystems set in a physical and physiognomic framework. *New Zealand Journal of Ecology 31*: 119-128.
- Willems N. 2000a: Possum impacts and indicator species condition. Northern Kaimai, January 2000. *Unpublished internal report*. Department of Conservation, Tauranga Area Office.
- Willems N. 2000b: Possum impacts and indicator species condition: Foliar Browse Index. Northern Kaimai, January 2000. *Unpublished internal report*. Department of Conservation, Tauranga Area Office.

- Willems N. 2000c: Possum impacts and indicator species condition. Otanewainuku Conservation Area, November 2000. *Unpublished internal report*. Department of Conservation , Tauranga Area Office.
- Willems N. 2000d: Possum Impacts and Indicator Species Condition. Otawa/Oropi Forest, September 2000. *Unpublished internal report*. Department of Conservation , Tauranga Area Office.
- Willems N. 2001: Possum impacts and indicator species condition. Southern Kaimai, March 2001. *Unpublished internal report*, Department of Conservation, Tauranga Area Office.
- Williams D.S., Leathwick J.R. 1990: Remeasurement of ecological transects in some central North Island forests. *Forest Research Institute Contract Report: FWE90/37*. Prepared for Department of Conservation. 19 pp.
- Williams D.S.; Leathwick J.A. 1994: Remeasurement of ecological transects in some central North Island forests. Forest Research Institute contract report FEW 90/25. Forest Research Institute, Rotorua (unpublished). 19 pp. Includes illustrations.
- Williams P.A. 1997: Ecology and Management of invasive weeds. *Conservation Sciences Publication No. 7*. Department of Conservation, Wellington. 67 pp.
- Williams P.A., Winks C., Rijkse W. 2003: Forest processes in the presence of wild ginger (*Hedychium gardnerianum*). *New Zealand Journal of Ecology* 27: 45-54.
- Williamson R.B. 1985: Urban stormwater quality I. Hillcrest, Hamilton, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 19: 413-427.
- Wills D.E. 1994: Kokako territory survey. Opuiaki Ecological Area and Woods Mill Block, January and February 1994. Unpublished summary report. Department of Conservation, Rotorua.
- Wilson A.D. 1980: Soils of Piako County, North Island, New Zealand. *New Zealand Department of Scientific and Industrial Research Soil Survey Report 39*.
- Wilson D.J., Wright E.F., Canham C.D., Ruscoe W.A. 2007: Neighbourhood analyses of tree seed predation by introduced rodents in a New Zealand temperate rainforest. *Ecography* 30: 105-119.
- Wilson P.R., Karl B.J., Toft R.J., Beggs J.R., Taylor R.H. 1998: The role of introduced predators and competitors in the decline of kaka (*Nestor meridionalis*) populations. *New Zealand Biological Conservation* 83: 175-185.
- Woods A. 2008a: Possum impacts and indicator species condition: Rata view monitoring. Northern Kaimai Mamaku Forest Park, January-March 2008. *Unpublished Internal Report*. Tauranga Area Office, Department of Conservation.
- Woods A. 2008b: Possum Impacts and Indicator Species Condition: Foliar Browse Index. Southern Kaimai Mamaku Forest Park, January-March 2008 *Unpublished Internal Report*. Tauranga Area Office, Department of Conservation.

World Resources Institute 1998: Valuing ecosystem services. Joint publication by the World Resources Institute, the United Nations Environment Programme, the United Nations Development Programme, and The World Bank.

Young K. 1994: Schedule of sites of significant conservation value, Western Bay of Plenty. *Unpublished report*. Department of Conservation, Rotorua.

Young A. and Mitchell N. 1994: Microclimate and vegetation edge effects in a fragmented podocarp-broadleaf forest in New Zealand. *Biological Conservation* 67: 63-72.



**APPENDICES**

